



HANJIE XUEBAO

第 33 卷

2012 年

## 总 目 次

## 第 1 期

|                                        |                  |       |
|----------------------------------------|------------------|-------|
| 电子束焊机电源控制系统的设计与实现 .....                | 何少佳, 李建玲, 莫金海, 等 | (1)   |
| 超声对不同铝合金搅拌摩擦焊接头性能的影响 .....             | 马慧坤, 贺地求, 刘金书    | (6)   |
| 焊接材料对喷射成形 7475 铝合金 TIG 焊接头热裂纹的影响 ..... | 严 铿, 叶友利, 王锡岭    | (9)   |
| 移动式焊缝跟踪机器人跟踪精度分析方法 .....               | 洪 波, 张淇淋, 李湘文, 等 | (13)  |
| TiAl 合金与镍基高温合金的扩散连接 .....              | 何 鹏, 李海新, 林铁松, 等 | (17)  |
| 37CrMnMo 钢管径向摩擦焊接头组织与性能 .....          | 秦国梁, 张春波, 周 军, 等 | (21)  |
| 旋转电弧 MAG 焊强迫短路过渡电流信号滤波 .....           | 高延峰, 肖建华, 张 华    | (25)  |
| 激光-电弧复合热源焊接钛合金薄板 T 形结构件 .....          | 李陈宾, 刘黎明         | (29)  |
| 差强差厚三层板电阻点焊熔核尺寸的控制方法 .....             | 沈 洁, 林浩磊, 张延松, 等 | (33)  |
| 热沉对焊接残余变形的影响及参数优化分析 .....              | 赵利华, 张开林         | (37)  |
| 高强度低焊接裂纹敏感性钢焊接热影响区的冲击韧性 .....          | 兰亮云, 邱春林, 赵德文, 等 | (41)  |
| 硼对等离子熔覆高硼铁基合金组织和性能的影响 .....            | 刘政军, 李乐成, 苏允海, 等 | (45)  |
| 脉冲 PAW 快速成形焊缝尺寸的预测模型 .....             | 徐富家, 吕耀辉, 刘玉欣, 等 | (49)  |
| 低应力柔性 CCGA 焊点设计及其可靠性预测 .....           | 赵智力, 孙凤莲, 王丽凤, 等 | (53)  |
| SPV50Q 钢焊接接头腐蚀和氢渗透性能分析 .....           | 唐建群, 巩建鸣         | (57)  |
| 一类窄焊缝的结构光图像特征提取方法 .....                | 陈海永, 孙鹤旭, 徐 德    | (61)  |
| 用于核环境管道维修的宏-微机器人遥控焊接 .....             | 杜爱国, 李海超, 陈洪堂, 等 | (65)  |
| SnAgCu- $\alpha$ Pr 钎料组织及性能 .....      | 皋利利, 薛松柏, 许 辉    | (69)  |
| 含钎 Al-Cu-Li 合金钎焊焊接头组织与性能 .....         | 刘 畅, 潘清林, 梁文杰    | (73)  |
| T/P92 钢镍对熔敷金属组织和性能的影响 .....            | 戴后雷, 马成勇, 彭 云, 等 | (77)  |
| 电弧喷涂铁基非晶涂层摩擦磨损性能分析 .....               | 张关震, 贺定勇, 周 正, 等 | (81)  |
| 稀土元素 Nd 对 Sn-9Zn 无铅钎料性能的影响 .....       | 胡玉华, 薛松柏, 柳 敏, 等 | (85)  |
| Fe-C-Ti-Cr-B 系堆焊合金组织及耐磨性能 .....        | 冯 萌, 王智慧, 贺定勇, 等 | (89)  |
| 碳钢与 304 不锈钢焊接残余应力的计算 .....             | 赵东升, 刘玉君, 孙敏科, 等 | (93)  |
| 带状电极 MAG 焊工艺熔滴过渡分析 .....               | 郑森木, 高洪明, 刘 鑫    | (96)  |
| 含中心裂纹低匹配对接接头形状参数对形状因子的影响 .....         | 王 涛, 杨建国, 刘雪松, 等 | (101) |
| 基于视觉的焊接缺陷熔池图像特征探讨 .....                | 沈莹吉, 王克鸿, 潘明财, 等 | (105) |
| 考虑 IMC 影响的 PBGA 无铅焊点温度循环有限元数值模拟 .....  | 魏鹤琳, 王奎升         | (109) |
| 公告 .....                               |                  | (104) |

## 第 2 期

|                                        |                  |      |
|----------------------------------------|------------------|------|
| 用于型钢切割的机器人离线编程路径规划 .....               | 李海超, 巩 杉, 崔静静, 等 | (1)  |
| 聚变堆用 CLAM 钢激光焊接接头显微组织及性能 .....         | 姜志忠, 黄继华, 胡 杰, 等 | (5)  |
| 电弧电场强度对激光等离子体引燃 TIG 电弧性能的影响 .....      | 雷正龙, 陈彦宾, 李 颖, 等 | (9)  |
| 1Cr13NbTi 不锈钢堆焊材料氮合金化分析 .....          | 杨 可, 张志玺, 胡网勤, 等 | (13) |
| 以铜和 Cu-Ti 作为中间层的 TiAl/GH3536 扩散焊 ..... | 周 媛, 熊华平, 陈 波, 等 | (17) |
| 玻璃与金属真空钎焊接头残余应力影响参数分析 .....            | 谭明明, 凌 祥         | (21) |
| 纯铁钎焊凝固过程的模拟计算 .....                    | 陈 洁, 于治水, 苏 钰, 等 | (25) |
| 微量元素对无铅焊点电迁移性能的改善 .....                | 王家兵, 孙凤莲, 刘 洋    | (29) |
| 基于改进最小二乘法的焊缝特征直线提取方法 .....             | 秦 涛, 张 轲, 邓景煜, 等 | (33) |
| 激光熔覆 Fe-W 合金涂层的组织及性能 .....             | 武 扬, 虞 钢, 何秀丽, 等 | (37) |
| 轴向压力对惯性摩擦焊的影响数值分析 .....                | 王非凡, 李文亚, 陈 亮, 等 | (41) |
| Ni-Cr/陶瓷连接界面残余应力有限元分析 .....            | 朱 松, 周振平, 邱小明    | (45) |
| 碳纳米管介质对铝合金电阻点焊熔核质量影响 .....             | 王 皓, 罗 震, 周琳舒, 等 | (49) |
| 磁场作用下镍基等离子弧堆焊层的组织及耐磨性能 .....           | 刘政军, 李乐成, 宗 琳, 等 | (53) |
| 大热输入焊接 EH36 船板钢接头力学性能 .....            | 武会宾, 梁国俐, 唐 荻    | (57) |
| 多元陶瓷复合相显微组织对耐磨性能的影响 .....              | 宗 琳, 刘政军, 李乐成    | (61) |
| 18Ni 系马氏体时效钢焊条的研制 .....                | 徐玉松, 蔡啸涛, 袁正江, 等 | (65) |
| 10CrNi3MoV 钢不同焊缝韧度的低匹配接头安全评定 .....     | 孙 吉, 桂赤斌, 陈文君    | (69) |

|                                                  |                               |
|--------------------------------------------------|-------------------------------|
| 马氏体相变对堆焊冷却切向应力影响的数值模拟 .....                      | 周野飞, 韩 超, 刘利刚, 等 (73)         |
| 腔内约束电热喷涂涂层的形成 .....                              | 朱 亮, 张有国, 毕学松 (77)            |
| 机器人点焊恒流控制的分流补偿模型 .....                           | 张 勇, 汪帅兵, 谢红霞, 等 (81)         |
| 等离子喷涂层片形成过程流体动力学模拟 .....                         | 夏碧珠, 崔长文, 李 强 (85)            |
| 7N01 铝合金搅拌摩擦焊接头力学性能 .....                        | 孟立春, 康 旭, 孙延军, 等 (90)         |
| 基于双目立体视觉埋弧焊焊缝成形的表征 .....                         | 张鹏贤, 卢忠建, 曹成虎, 等 (93)         |
| 压缩机不同上法兰结构的三点焊接仿真分析 .....                        | 夏卫生, 王 珂, 曾志坚, 等 (97)         |
| 碳化铬/ $\text{Ni}_3\text{Al}$ 复合堆焊层组织及摩擦磨损分析 ..... | 安同邦, Gong Karin, 骆合力, 等 (101) |
| $\text{Ni}_3\text{Al}$ 单晶高温合金过渡液相扩散焊工艺 .....     | 吴 松, 侯金保, 郎 波 (105)           |
| 外加磁场闪光对焊 20 钢焊接接头组织分析 .....                      | 陈海东, 马铁军, 张 勇, 等 (109)        |
| 公告 .....                                         | (32)                          |
| 会议 .....                                         | (89)                          |

## 第 3 期

|                                                              |                        |
|--------------------------------------------------------------|------------------------|
| 热挤压形变对 AZ31B 镁合金 TIG 焊缝组织及断口形貌的影响 .....                      | 李晓泉, 初雅杰, 杨宗辉, 等 (1)   |
| 基于固态连接原理的填充式搅拌摩擦焊匙孔修复技术 .....                                | 黄永宪, 韩 冰, 吕世雄, 等 (5)   |
| 一种基于摆动式涡流传感器的焊缝跟踪方法 .....                                    | 洪 波, 熊炳卫, 李湘文, 等 (9)   |
| 引线键合中材料参数对硅基板应力状态的影响 .....                                   | 姜 威, 常保华, 都 东, 等 (13)  |
| 双丝旁路耦合电弧高效 MIG 焊方法及控制系统 .....                                | 石 珂, 朱 明, 黄健康, 等 (17)  |
| 基于立体视觉焊接变形测量系统标定 .....                                       | 张海鹏, 韩端锋, 苗玉刚, 等 (21)  |
| GH99 合金液相扩散连接界面组织分析 .....                                    | 林铁松, 何 鹏, 韩 冷, 等 (25)  |
| 构架环形多道焊变形仿真与焊序优选 .....                                       | 傅利斌, 杨鑫华, 任瑞铭 (29)     |
| 热处理对喷射成形 7xxx 系铝合金 TIG 焊接头组织与性能的影响 .....                     | 严 铿, 施志强, 王锡岭 (33)     |
| 大厚板双面双 TIG 电弧打底熔池成形特性 .....                                  | 刘殿宝, 张广军, 吴 林 (37)     |
| 时效对 $\text{Sn-Zn}$ 无铅钎料焊点可靠性的影响 .....                        | 胡玉华, 薛松柏, 杨晶秋, 等 (41)  |
| 基于焊接变形有限元分析的空调压缩机结构优化 .....                                  | 李勇志, 陆 皓, 陈俊梅, 等 (45)  |
| 粉末预置法电火花沉积 WC-8Co 涂层分析 .....                                 | 高玉新, 赵 程, 易 剑 (49)     |
| 奥氏体不锈钢激光焊接过程中残留液体金属的在线观察 .....                               | 温 鹏, 荻崎贤二, 山本元道 (53)   |
| P91 钢焊接接头 IV 型裂纹力学控制参量有限元模拟 .....                            | 张建强, 罗传红, 章应霖, 等 (57)  |
| 氩弧熔敷原位合成 ( $\text{Ti}, \text{Nb}$ ) C 增强金属基复合涂层组织与抗磨性能 ..... | 王永东, 李柏茹, 王淑花, 等 (61)  |
| 原位合成 $\text{TiC-M}_7\text{C}_3$ 陶瓷硬质相显微组织的分析 .....           | 刘政军, 李乐成, 宗 琳, 等 (65)  |
| 脉冲频率对 TCGMAW 熔滴过渡行为的影响 .....                                 | 解生冕, 吴开源, 文元美, 等 (69)  |
| 超低碳超高强 X120 管线钢焊接热影响区粗晶区的组织转变 .....                          | 雷玄威, 王红鸿, 尹雨群, 等 (73)  |
| 切割带钝边的管道焊接坡口的数学模型及仿真 .....                                   | 王旗华, 殷国富, 徐 雷, 等 (77)  |
| 新型半桥软开关 $\text{CO}_2$ 逆变焊机 .....                             | 余致廷, 曹 达, 夏富平, 等 (81)  |
| TiC 增强 $\text{C}_f/\text{SiC}$ 复合材料与钛合金钎焊接头工艺分析 .....        | 崔 冰, 黄继华, 熊进辉, 等 (85)  |
| 铝/铜高频感应接触反应钎焊 .....                                          | 张洪涛, 刘 多, 冯吉才, 等 (89)  |
| 钼酸钠对 2024 铝合金及搅拌摩擦焊焊缝缓蚀效率的影响 .....                           | 沈长斌, 陈 影, 葛继平 (93)     |
| WLCSP 器件 $\text{Sn3.9Ag0.6Cu}$ 焊点疲劳寿命预测 .....                | 张 亮, 韩继光, 郭永环, 等 (97)  |
| 异种耐热钢瞬时液相扩散连接界面形态与形成机理 .....                                 | 唐恒娟, 陈思杰 (101)         |
| TC4 钛合金薄板激光焊接接头的疲劳寿命及断口分析 .....                              | 杨武林, 杨晓华, 李晓延, 等 (105) |
| 双立爆炸焊接及防护装置数值模拟和试验 .....                                     | 史长根, 汪 育, 徐 宏 (109)    |
| 公告 .....                                                     | (8)                    |
| 书讯 .....                                                     | (44, 72, 80)           |

## 第 4 期

|                                                     |                       |
|-----------------------------------------------------|-----------------------|
| 焊缝偏差 RBF 神经网络预测算法 .....                             | 高向东, 莫 玲, 游德勇, 等 (1)  |
| 磁控电弧传感器对埋弧焊熔宽的影响 .....                              | 洪 波, 李 林, 李湘文, 等 (5)  |
| MIG 焊铝正弦波调制脉冲控制参数应用 .....                           | 魏仲华, 龙 鹏, 陈小峰, 等 (9)  |
| 送粉方式对 WC 增强复合涂层组织的影响 .....                          | 宋自力, 杜晓东, 李连颖, 等 (13) |
| 基于相关与时耗复合维归约的弧焊电源特性自适应在线监测 .....                    | 高理文, 薛家祥, 陈 辉, 等 (17) |
| 图像形态学在初始焊接位置检测中的应用 .....                            | 王 健, 卫善春, 林 涛, 等 (21) |
| AH36 薄板不同焊接工艺下应力的三维数值模拟 .....                       | 吴铭方, 陆雪冬, 岑 越, 等 (25) |
| 软开关弧焊逆变电源外特性的理论分析 .....                             | 王瑞超, 薛家祥 (29)         |
| 横纵磁场下铁基合金堆焊层组织性能的对比分析 .....                         | 苏允海, 李乐成, 刘政军 (33)    |
| 基于聚类的埋弧焊 X 射线焊缝图像缺陷分割算法及缺陷模型 .....                  | 高炜欣, 胡玉衡, 穆向阳, 等 (37) |
| $\text{Sn-Zn-Ga-Pr}$ 钎料表面锡须的自发生长 .....              | 叶 焕, 薛松柏, 薛 鹏, 等 (42) |
| 计算机辅助在 TKY 管节点焊缝超声相控阵检测中的应用 .....                   | 陆铭慧, 程 俊, 邵红亮, 等 (45) |
| $\text{TiNiB}$ 高温钎料钎焊 $\text{TiAl}$ 基合金接头微观组织 ..... | 杨振文, 张丽霞, 薛 青, 等 (49) |
| 含钛铁基耐磨复合材料的研制 .....                                 | 宗 琳, 刘政军, 李乐成 (53)    |
| 脉冲逆变焊接电源建模与仿真 .....                                 | 段 彬, 张承慧, 孙同景, 等 (57) |
| 高比分 $\text{SiC}_p/2024$ 铝基复合材料激光原位焊接头断裂行为 .....     | 李俐群, 左智成, 陶 汪, 等 (61) |
| 30 mm 7A05 铝合金搅拌摩擦焊接头组织及力学性能 .....                  | 董继红, 佟建华, 郭晓娟, 等 (65) |

|                                   |                        |       |
|-----------------------------------|------------------------|-------|
| 多管相贯坡口曲线等离子切割的割炬姿态控制算法 .....      | 田国华, 欧长劲, 黄德超 .....    | (69)  |
| 稀土相表面特殊形态锡晶须生长现象 .....            | 田 君, 李东南, 李 巍, 等 ..... | (73)  |
| 石油方钻杆窄间隙焊接接头断裂韧性 .....            | 马彩霞, 张 瑟, 黄旭升, 等 ..... | (77)  |
| 铝合金薄板激光拼焊工艺及其杯突成形性能 .....         | 李云涛, 张文俊, 杨立军, 等 ..... | (81)  |
| X80 管线钢焊接冷裂敏感性判据的建立 .....         | 李亚娟, 贾 鹏, 李午申, 等 ..... | (85)  |
| 焊接工艺对 TP304 钢焊缝金属组织及性能的影响 .....   | 李海涛, 杨文杰, 王 军, 等 ..... | (89)  |
| 强度失配焊接接头的裂纹尖端张开位移数值分析 .....       | 熊林玉, 张彦华 .....         | (93)  |
| 异质钛合金线性摩擦焊接头微观组织与显微硬度分析 .....     | 张传臣, 黄继华, 张田仓, 等 ..... | (97)  |
| 铝合金表面电火花沉积层组织与性能 .....            | 郭 锋, 苏勋家, 李 平, 等 ..... | (101) |
| 焊缝 CTOD 试验中的 Pop-in 效应及产生原因 ..... | 吴世品, 王东坡, 邓彩艳, 等 ..... | (105) |
| 焊接机器人虚拟样机轨迹模拟和运动仿真分析 .....        | 王 玉, 王旗华, 赵建光, 等 ..... | (109) |
| 书讯 .....                          | (76, 80, 84)           |       |

## 第 5 期

|                                                                                                               |                        |       |
|---------------------------------------------------------------------------------------------------------------|------------------------|-------|
| 铝镁合金的数字化弧焊电源及专家数据库 .....                                                                                      | 薛家祥, 魏仲华, 龙 鹏, 等 ..... | (1)   |
| 厚板铝合金 FSW 和 MIG 焊接接头疲劳性能 .....                                                                                | 杨新岐, 吴 铁, 张家龙, 等 ..... | (5)   |
| 基于人机工程的主从机器人遥控焊接焊缝跟踪误差分析 .....                                                                                | 陈洪堂, 李海超, 高洪明, 等 ..... | (9)   |
| CuCrZr 合金表面等离子喷涂 $\text{Cr}_3\text{C}_2\text{-NiCr}$ 及 $\text{NiAl/Cr}_3\text{C}_2\text{-NiCr}$ 涂层的结合性能 ..... | 陈 健, 刘雪飘, 梁 欢, 等 ..... | (13)  |
| 缆式焊丝 $\text{CO}_2$ 气体保护焊接头残余应力高效数值计算和试验 .....                                                                 | 方臣富, 王海松, 刘 川, 等 ..... | (17)  |
| 时效对铜铝钎焊接头界面化合物和性能的影响 .....                                                                                    | 姬 峰, 薛松柏, 张 满, 等 ..... | (21)  |
| 激光切割过程辅助气体动力学性能的数值模拟 .....                                                                                    | 谭向虎, 王 威, 单际国, 等 ..... | (25)  |
| 基于自相关分析的电弧焊熔滴过渡过程稳定性的定量评价 .....                                                                               | 高理文, 薛家祥, 陈 辉, 等 ..... | (29)  |
| Sn-Zn-Ga- $\alpha$ Pr 钎料组织与性能 .....                                                                           | 李 阳, 薛松柏, 杨晶秋, 等 ..... | (33)  |
| 耐磨铝硅铜合金的双面搅拌摩擦焊 .....                                                                                         | 张志云, 陈茂爱, 武传松 .....    | (37)  |
| 2A97 铝锂合金搅拌摩擦焊 .....                                                                                          | 张 华, 孔德跃, 陈雪峰, 等 ..... | (41)  |
| 船用薄板焊接接头残余变形有限元模拟 .....                                                                                       | 陆雪冬, 吴铭方, 岑 越, 等 ..... | (45)  |
| SnCuNi- $\alpha$ Pr/Cu 界面组织和性能分析 .....                                                                        | 罗家栋, 薛松柏, 杨晶秋, 等 ..... | (49)  |
| 工字形焊件中批量缺陷的自动对应准则 .....                                                                                       | 石端虎, 刚 铁, 杨 峰 .....    | (53)  |
| 激光多层熔覆制备厚陶瓷涂层 .....                                                                                           | 王东生, 田宗军, 王经文, 等 ..... | (57)  |
| 压力容器用钢板焊接温度场模拟与验证 .....                                                                                       | 迟露鑫, 麻永林, 邢淑清, 等 ..... | (61)  |
| 不同参数下 GMAW 电信号关联维数分析 .....                                                                                    | 闫晓成, 李志勇, 郭 勇, 等 ..... | (65)  |
| 不同条件下的振动焊接残余应力 .....                                                                                          | 卢庆华, 陈立功, 倪纯珍, 等 ..... | (69)  |
| 电子束预热底板表面温度的测量及数值模拟 .....                                                                                     | 杨钟毓, 齐海波, 许红彬 .....    | (73)  |
| 热影响区几何尺寸对铝合金焊接接头变形及强度影响规律 .....                                                                               | 朱 浩, 陈 强, 陈剑虹 .....    | (77)  |
| 膜式水冷壁对称单元 GMAW 多焊道焊接工艺参数与变形的关系 .....                                                                          | 张 宪, 杨文岗, 钟 江, 等 ..... | (82)  |
| 埋弧焊磁控电弧焊缝跟踪系统中的横向磁场 ANSYS 模拟 .....                                                                            | 洪 波, 马金海, 李湘文, 等 ..... | (87)  |
| AZ31B 镁合金点焊接头拉剪断裂特征 .....                                                                                     | 陈益平, 魏 强, 胡德安, 等 ..... | (91)  |
| 电子束熔覆大面积均匀束斑设计及试验 .....                                                                                       | 何 俊, 张秉刚, 郑 坤, 等 ..... | (95)  |
| 碳钢-不锈钢爆炸焊接复合板界面的显微结构 .....                                                                                    | 廖东波, 查五生, 李 伟 .....    | (99)  |
| 电子束变焦—临界温度极值焦点测量法 .....                                                                                       | 陈云霞, 李国华 .....         | (103) |
| 静止轴肩搅拌摩擦焊的研究进展 .....                                                                                          | 刘会杰, 李金全, 段卫军 .....    | (108) |
| 书讯 .....                                                                                                      | (102, 112)             |       |

## 第 6 期

|                                            |                        |      |
|--------------------------------------------|------------------------|------|
| 基于网络及总线技术的海底管道铺设焊接机器人 .....                | 焦向东, 罗 雨, 纪文刚, 等 ..... | (1)  |
| AA-TIG 焊表面氧化层成分及形成过程分析 .....               | 樊 丁, 康再祥, 黄 勇, 等 ..... | (5)  |
| 复杂焊接接头多轴疲劳强度评估的等效热点应力法 .....               | 刘 刚, 黄如旭, 黄 一 .....    | (10) |
| 基于热-力耦合法的高速车地板焊接变形数值模拟 .....               | 王 苹, 方洪渊, 韩德成, 等 ..... | (15) |
| 添加 Zn 对 AgCu 钎料在 TiC 金属陶瓷表面润湿性的影响 .....    | 雷 敏, 张丽霞, 李宏伟, 等 ..... | (19) |
| 钛/铝异种合金电弧熔钎焊接头界面特征及力学性能 .....              | 吕世雄, 敬小军, 黄永宪, 等 ..... | (23) |
| AZ91 镁合金焊接接头组织及力学行为分析 .....                | 刘政军, 赵福冬, 苏允海, 等 ..... | (27) |
| 热输入对 800 MPa 级超厚板窄间隙焊缝金属组织和性能的影响 .....     | 魏金山, 齐彦昌, 彭 云, 等 ..... | (31) |
| 钢管径向摩擦搭接焊加载力数值模拟 .....                     | 张 焱, 秦国梁, 张春波, 等 ..... | (35) |
| 钛合金超音频直流脉冲 GTAW 焊缝组织性能 .....               | 杨明轩, 齐铂金, 从保强, 等 ..... | (39) |
| 保温时间对 TiAl 合金与镍基合金扩散连接界面组织结构及连接强度的影响 ..... | 李海新, 林铁松, 何 鹏, 等 ..... | (43) |
| 双丝间接电弧氩气保护焊的熔滴过渡与电弧形态 .....                | 曹梅青, 邹增大, 曲仕尧 .....    | (47) |
| 喷射成形 7055 铝合金 FSW 焊工艺与性能 .....             | 严 铿, 刘 俊, 史 超 .....    | (51) |
| 不同 Ag 元素含量 Sn-Ag-Cu 无铅钎料性能分析 .....         | 刘 平, 顾小龙, 赵新兵, 等 ..... | (55) |
| 核电 SA508-3 钢厚壁圆筒纵向焊接残余应力分析 .....           | 迟露鑫, 麻永林, 邢淑清, 等 ..... | (59) |
| 旁路耦合电弧焊建模与仿真 .....                         | 黄健康, 朱 明, 石 玟, 等 ..... | (63) |
| 管线用自保护药芯焊丝低温韧性分析 .....                     | 宋绍朋, 栗卓新, 李国栋, 等 ..... | (68) |
| CLAM 钢激光焊 T 形接头残余应力及硬度分析 .....             | 雷玉成, 李振南, 朱延山, 等 ..... | (73) |
| 细直径 TA2/0Cr18Ni9Ti 棒材储能焊接试验分析 .....        | 徐 峰, 翟秋亚, 陈 凯 .....    | (77) |

|                                                   |               |       |
|---------------------------------------------------|---------------|-------|
| DILLIMAX690E 钢超窄间隙熔化极气体保护自动焊 .....                | 赵璇,王宇飞,张富巨,等  | (81)  |
| 400 MPa 级细晶粒钢电阻点焊接头组织分析 .....                     | 邓黎鹏,刘金合,柯黎明,等 | (85)  |
| CO <sub>2</sub> 激光焊接 TA15 熔池红外光辐射信号与焊接参数的关系 ..... | 高大新,段爱琴,孟亮,等  | (89)  |
| 不锈钢管磁控高速 TIG 焊多元非线性回归模型 .....                     | 路林,常云龙,李英民,等  | (93)  |
| 等离子熔覆高铬铁基涂层的开裂行为与控制 .....                         | 刘均波           | (97)  |
| 35 mm 厚板铝合金搅拌摩擦焊接接头组织和性能 .....                    | 刘杰,杨景宏,王炎金,等  | (101) |
| 6061 铝合金中温钎焊接头组织与性能 .....                         | 戴玮,薛松柏,蒋士芹,等  | (105) |
| 钎合金电子束表面熔覆层裂纹控制 .....                             | 何俊,张秉刚,郑坤,等   | (109) |
| 书讯 .....                                          |               | (18)  |

## 第 7 期

|                                                                       |               |       |
|-----------------------------------------------------------------------|---------------|-------|
| DD3 单晶合金 TLP 扩散焊接头组织及持久性能 .....                                       | 李晓红,毛唯,钟群鹏,等  | (1)   |
| 磁控电弧焊缝跟踪传感器的有限元分析 .....                                               | 洪波,王哲情,洪子翔,等  | (5)   |
| 高速列车 6005A-T6 铝合金型材激光-双丝 MIG 复合焊 .....                                | 王旭友,雷振,张健,等   | (9)   |
| Ti/Al 异种合金电弧熔钎焊接头温度场与界面微观组织 .....                                     | 吕世雄,敬小军,黄永宪,等 | (13)  |
| 一种基于亚射流的 PMIG 焊电弧电压控制方法 .....                                         | 林放,魏仲华,陈小峰,等  | (17)  |
| 双丝 MIG 焊对称过渡波形控制及其工艺 .....                                            | 姚屏,薛家祥,马前进,等  | (21)  |
| TIG-MIG 复合焊电弧特性机理分析 .....                                             | 杨涛,张生虎,高洪明,等  | (25)  |
| 基于 DSP 控制的超声金属焊接电源 .....                                              | 杨景卫,曹彪,尹天罡    | (29)  |
| Cu + B 复合钎料对比 Al <sub>2</sub> O <sub>3</sub> /TC4 合金钎焊接头界面组织的影响 ..... | 杨敏旋,林铁松,韩春,等  | (33)  |
| 混流式转轮焊接工艺优化与局部压应力化的实现 .....                                           | 程广福,过洁,姬书得,等  | (37)  |
| Zn 元素含量对 AgCuZn 钎料在 TiC 金属陶瓷表面润湿性的影响 .....                            | 雷敏,张丽霞,李宏伟,等  | (41)  |
| 基于 OpenCV 的移动焊接机器人视觉系统自主标定方法 .....                                    | 邓勇军,陈华斌,林涛,等  | (45)  |
| 基于新型回火焊道的焊接残余应力评价 .....                                               | 张亦良,石显,赵建平,等  | (49)  |
| WLCSP 器件结构优化模拟及无铅焊点可靠性 .....                                          | 张亮,韩继光,郭永环,等  | (53)  |
| Q390 钢焊接 CCT 曲线的测定 .....                                              | 赵勇桃,董俊慧,麻永林,等 | (57)  |
| 开放式管道插接专用焊接机器人控制系统 .....                                              | 任福深,陈树君,高胜,等  | (61)  |
| 铜基钎料焊接金刚石的界面结构与强度 .....                                               | 关砚聪,郑敏利,姚德明   | (65)  |
| Pr 元素对 Sn-Zn-Ga 钎料锡须生长的影响 .....                                       | 陈澄,薛松柏,杨晶秋,等  | (69)  |
| AZ91D 镁合金真空电子束深熔焊接熔池气泡流数值模拟 .....                                     | 叶宏,罗怡,余耀华     | (73)  |
| 2219 铝合金 FSW-VPPA 交叉焊缝组织与力学性能 .....                                   | 张海,封小松,刘仁培    | (77)  |
| 波控 CO <sub>2</sub> 短路过渡焊电流信号的近似熵分析 .....                              | 徐文豪,杨立军,毕超,等  | (81)  |
| 回流焊冷却过程中 PBGA 焊点力学行为分析 .....                                          | 魏鹤琳,王奎升       | (85)  |
| 激光焊接头超塑变形组织表征 .....                                                   | 程东海,黄继华,陈益平,等 | (89)  |
| 镁铝异种金属搅拌摩擦焊搭接接头组织与性能分析 .....                                          | 陈影,付宁宁,沈长斌,等  | (93)  |
| 包覆钎料铝-钢螺栓焊接头组织及性能 .....                                               | 葛佳棋,蒋勇,王克鸿    | (97)  |
| 激光胶接复合点焊工艺特性 .....                                                    | 王铭茂,陶汪,马轶男,等  | (101) |
| 异质钛合金线性摩擦焊接头微观组织 .....                                                | 郎波,张田仓,陶军,等   | (105) |
| 基于 B 样条曲线的 X 射线图像焊缝缺陷分割与提取 .....                                      | 梁 珊,魏艳红,占小红   | (109) |

## 第 8 期

|                                                                      |               |      |
|----------------------------------------------------------------------|---------------|------|
| 高铬铸钢激光熔覆 NiAl 涂层高温冲蚀性能 .....                                         | 韩彬,李美艳,王勇     | (1)  |
| 等离子喷涂和激光熔覆热障涂层隔热性能比较 .....                                           | 王东生,田宗军,张少伍,等 | (5)  |
| 镍箔中间层对不锈钢/铝合金激光深熔焊的影响 .....                                          | 陈树海,黄继华,杨冬冬,等 | (9)  |
| 基于 ACFM 技术的焊缝跟踪传感器空间磁场建模 .....                                       | 洪波,汤迪铭,李湘文,等  | (13) |
| 三维封装芯片键合 IMC 焊点应力分析及结构优化 .....                                       | 田艳红,王宁,杨东升,等  | (17) |
| 具有自主定位功能的水轮机叶片坑内修焊机器人 .....                                          | 马献德,陈强,孙振国,等  | (21) |
| 激光原位合成 TiB <sub>2</sub> -TiC 颗粒增强铁基涂层 .....                          | 王新洪,邹增大,曲仕尧   | (25) |
| 球铁激光-MIG 复合焊接头的裂纹倾向与力学性能 .....                                       | 郑世卿,温鹏,单际国    | (29) |
| 热暴露对 Ti-24Al-15Nb-1.5Mo/TC11 焊接界面显微硬度和元素分布的影响 .....                  | 秦春,姚泽坤,周伟,等   | (33) |
| 弹性阶段低匹配对接接头三点弯曲余高形状设计 .....                                          | 王佳杰,董志波,刘雪松,等 | (37) |
| 管道 MIG 焊双通道电弧信号采集与特征分析 .....                                         | 刘立君,周滨涛,戴鸿滨,等 | (41) |
| 基于 FEM 的高速列车地板结构焊接顺序优化 .....                                         | 王 萃,王 强,刘雪松,等 | (45) |
| Zr-Ti 复合微合金化高强高韧结构钢的焊接性 .....                                        | 卢伟煜,吴开明,王红鸿,等 | (49) |
| 工艺参数对 Al <sub>2</sub> O <sub>3</sub> /TC4 合金接头界面组织及力学性能的影响 .....     | 杨敏旋,林铁松,韩春,等  | (53) |
| 高铬铸铁芯焊条堆焊层组织分析 .....                                                 | 徐锦锋,唐 桢,任永明,等 | (57) |
| 高速列车 6005A 铝合金型材焊接热裂纹分析 .....                                        | 张 健,雷 振,王旭友   | (60) |
| 层间温度对 690 MPa 级 HSLA 钢熔敷金属裂纹扩展功的影响 .....                             | 王爱华,彭 云,肖红军,等 | (65) |
| YAG 脉冲激光焊接 AZ61 镁合金薄板对接接头的组织与性能 .....                                | 李志军,王红英       | (69) |
| 7A52 铝合金电子束焊接参数及性能 .....                                             | 翟熙伟,陈芙蓉,毕良艳,等 | (73) |
| 超(超)临界火电机组 SA335P91 钢与 12Cr1MoV 钢焊接性能 .....                          | 郑 楷,赵大军,张雪莲   | (77) |
| 厚板钛合金窄间隙 TIG 焊接头组织与性能 .....                                          | 吕世雄,崔庆龙,黄永宪,等 | (81) |
| 锆的表面吸附作用对 Sn <sub>2.5</sub> Ag <sub>0.7</sub> Cu/Cu 界面及润湿性能的影响 ..... | 杨拓宇,孟戈,陈 丰,等  | (85) |

|                                 |                     |
|---------------------------------|---------------------|
| 7050 铝合金搅拌摩擦焊动态再结晶组织影响因素 .....  | 张成聪,常保华,陶 军,等 (89)  |
| 不锈钢低真空加热过程去膜机理分析 .....          | 何 鹏,郑岩松,李 军,等 (93)  |
| 混流式转轮局部处理技术与局部压应力区的优化 .....     | 程广福,王辉亭,姬书得,等 (97)  |
| 等离子割炬中的电极冷却流场分析 .....           | 陈丽华,韦婧宇 (101)       |
| 全数字智能脉冲弧焊电源系统设计与实现 .....        | 段 彬,张承慧,孙同景,等 (105) |
| IC10 单晶过渡液相扩散焊接头微观组织与力学性能 ..... | 郎 波,侯金保,吴 松 (109)   |
| 书讯 .....                        | (4,56,88,100)       |

## 第 9 期

|                                            |                     |
|--------------------------------------------|---------------------|
| 金属零件熔积成形过程形状质量的可视化诊断 .....                 | 张海鸥,邱立朋,芮道满,等 (1)   |
| 高强结构钢材 Q460C 焊接接头的断裂韧性试验 .....             | 王元清,林 云,张延年,等 (5)   |
| TiAl/Ti/Nb/GH99 扩散连接接头的界面组织结构及接头强度 .....   | 李海新,魏红梅,何 鹏,等 (9)   |
| 气体熔池耦合活性 TIG 焊接方法 .....                    | 黄 勇,刘瑞琳,樊 丁,等 (13)  |
| TIG 焊熔池在阶跃参数下的数值分析 .....                   | 黄健康,郭朝博,石 珂,等 (17)  |
| LF21 超声搅拌摩擦焊接头组织及性能分析 .....                | 马慧坤,贺地求,刘金书 (21)    |
| 焊接过程数值模拟材料参数的确定 .....                      | 闫德俊,刘雪松,杨建国,等 (24)  |
| TLB 型复杂焊接结构超声 SH 导波成像检测 .....              | 朱新杰,韩赞东,都 东,等 (29)  |
| 基于局部法评定 TBCs/Q345 涂层界面断裂行为 .....           | 杨 祯,荆洪阳,徐连勇 (33)    |
| TIG 熔修后 T 形接头的焊接残余应力及消除 .....              | 吕一仕,荆洪阳,徐连勇,等 (37)  |
| 等离子喷焊颗粒增强铁基合金涂层组织的分析 .....                 | 李连颖,杜晓东,宋自力,等 (41)  |
| Nd:YAG 激光+CMT 电弧复合热源横焊工艺参数对焊缝形貌的影响 .....   | 刘西洋,王旭友,岳燕星,等 (45)  |
| 电场提高激光-TIG 复合焊熔深的机制 .....                  | 李雪源,陈明华,祝美丽,等 (49)  |
| 低功率 YAG 激光-TIG 电弧复合焊镁合金薄板工艺 .....          | 袁胜涛,李陈宸,刘黎明 (53)    |
| X100 管线钢埋弧焊匹配焊剂及其接头性能分析 .....              | 张 敏,张喜兵,陈飞鹏,等 (57)  |
| 磁场参数对镁合金焊接接头力学性能的影响 .....                  | 宗 琳,苏允海,刘政军 (61)    |
| Ni-Cr 合金保护气氛钎焊金刚石界面 $Cr_2C_3$ 的形核与长大 ..... | 卢金斌,孟 普,樊 平,等 (65)  |
| 基于纳米压痕法的无铅 BGA 焊点的循环力学行为 .....             | 刘美娜,王丽凤,吕 烨,等 (69)  |
| 无渣含铋自保护堆焊药芯焊丝的研制 .....                     | 刘大双,刘仁培,邱 悦,等 (73)  |
| $Cu_6Sn_5$ 和 $Ni_3Sn_4$ 结构性能的第一原理计算 .....  | 王宏伟,孙实春,徐振清,等 (77)  |
| LY12 铝合金搅拌摩擦焊接头残余应力分析 .....                | 王希靖,李 娜,张忠科,等 (81)  |
| 焊缝含 I 型单边裂纹低匹配残余高对接接头形状参数对形状因子的影响 .....    | 杨建国,王 涛,方洪渊,等 (85)  |
| TC4 薄板焊接件随焊冲击旋转挤压力计算 .....                 | 张 勇,杨建国,方洪渊 (89)    |
| X80 级抗大变形成管线钢焊接粗晶区的组织和性能 .....             | 胡美娟,王 鹏,韩新利,等 (93)  |
| 铜钢异种材料等离子弧焊接头性能 .....                      | 程东海,邵景辉,陈益平,等 (97)  |
| 振幅对线性摩擦焊接头组织和元素分布的影响 .....                 | 季亚娟,刘燕冰,张田仓,等 (101) |
| NiCrBSiMo 激光熔覆层腐蚀磨损交互作用的定量分析 .....         | 孙 磊,原津萍,赵军军,等 (105) |
| TC4-DT 电子束焊接头显微组织及疲劳裂纹扩展行为 .....           | 唐振云,马英杰,毛智勇,等 (109) |

## 第 10 期

|                                                  |                    |
|--------------------------------------------------|--------------------|
| 热塑挤压改善镁合金熔焊接头疲劳性能及其微观机制 .....                    | 李晓泉,初雅杰,杨宗辉,等 (1)  |
| 6082 铝合金双轴肩 FSW 接头组织及腐蚀性能 .....                  | 董春林,董继红,赵华夏,等 (5)  |
| 氧丙烷快速割嘴氧通道设计 .....                               | 韩永旭,于浩楠,王智新,等 (10) |
| 翻转次数对 20MnMoNb 特厚管板焊接残余应力与变形影响的数值分析 .....        | 王艳飞,耿鲁阳,巩建鸣,等 (13) |
| 软开关弧焊逆变电源特性分析 .....                              | 王瑞超,薛家祥 (17)       |
| 基于有限元模拟的穿孔等离子超声电弧焊谐振频率的确定 .....                  | 谢伟峰,雷玉成,朱 强,等 (21) |
| 双丝脉冲 MAG 焊的熔滴过渡及工艺特征 .....                       | 于 露,李 桓,杨立军,等 (25) |
| MAG 焊熔池图像各区域定义及近似熵分析 .....                       | 高 飞,王克鸿,梁永顺,等 (29) |
| HT250 冷焊表面残余应力试验 .....                           | 徐庆钟,李方义,丁 韬,等 (33) |
| 沉淀硬化不锈钢 FV520B 母材及其焊接接头耐蚀性分析 .....               | 张 敏,张恩华,支金花,等 (37) |
| TiNi-V 共晶钎料钎焊 $Si_3N_4$ 陶瓷接头界面结构及性能 .....        | 王国星,宋晓国,陈海燕,等 (41) |
| 激光-电弧复合焊接 7075-T6 铝合金疲劳断裂特性 .....                | 吴圣川,徐晓波,张卫华,等 (45) |
| 水下湿法药芯焊丝焊接电弧稳定性 .....                            | 石永华,郑泽培,黄 晋 (49)   |
| 高压水下环境旋转电弧焊接的断路临界频率分析 .....                      | 李志刚,张 华 (54)       |
| 2A14-T6 铝合金复合超高频脉冲方波变极性 GTAW 焊缝成形特征 .....        | 李 伟,从保强,齐铂金,等 (59) |
| 水下爆炸焊接制备 NiTi 合金与铜箔复合板 .....                     | 孙 伟,李晓杰,闫鸿浩,等 (63) |
| 脉冲电流参数对奥氏体不锈钢电弧行为的影响 .....                       | 杨明轩,从保强,齐铂金,等 (67) |
| Zr-Ti 复合脱氧对低合金高强度钢 CGHAZ 组织和韧性的影响 .....          | 魏 然,吴开明,王红鸿,等 (71) |
| $CeO_2$ 掺杂对 $ZrO_2-Y_2O_3$ 纳米涂层性能的影响 .....       | 颜建辉,马素娟,刘龙飞,等 (75) |
| 钎焊温度及保温时间对 Sn-30Zn 钎料钎焊 Mg/Al 异种金属组织和性能的影响 ..... | 王 志,刘 飞,刘黎明 (79)   |
| 金属粉末型药芯焊丝熔滴过渡及飞溅观察分析 .....                       | 王 皇,刘海云,王 宝,等 (83) |
| 铝合金变极性穿孔型等离子弧焊工艺的热源模型 .....                      | 卢振洋,王 龙,陈树君,等 (87) |
| 铝合金 AC-P-MIG 焊丝熔化速度与焊缝成形 .....                   | 袁 磊,华学明,张 旺,等 (92) |

|                                        |                        |
|----------------------------------------|------------------------|
| 考虑热损失的热丝 TIG 焊热丝温度分布解析模型 .....         | 赵福海, 华学明, 叶 欣, 等 (97)  |
| Sn-Zn 系钎料专用助焊剂 .....                   | 韩若男, 薛松柏, 胡玉华, 等 (101) |
| 时效温度对 15-5PH 沉淀硬化不锈钢熔敷金属组织和性能的影响 ..... | 齐彦昌, 张晓牧, 彭 云, 等 (105) |
| TC4/TC17 线性摩擦焊接头组织及力学性能 .....          | 季亚娟, 刘燕冰, 张田仓, 等 (109) |
| 书讯 .....                               | (86, 100)              |

## 第 11 期

|                                                           |                        |
|-----------------------------------------------------------|------------------------|
| 梯度功能材料等离子熔积成形过程的 Level-Set 方法模拟 .....                     | 王桂兰, 王 庆, 王湘平, 等 (1)   |
| 钛合金电子束焊熔宽 PID 控制系统建模与仿真 .....                             | 石铭霄, 张秉刚, 陈国庆, 等 (5)   |
| 钎缝间隙对 SiC 陶瓷钎焊接头组织及性能的影响 .....                            | 李卓然, 徐晓龙, 刘文波, 等 (9)   |
| 激光重熔等离子喷涂 WC 颗粒增强镍基涂层组织及高温磨损性能 .....                      | 王东生, 田宗军, 王松林, 等 (13)  |
| 焊接接头坡口参数化建模及矢量图形绘制 .....                                  | 沈春龙, 于景宝, 彭 勇, 等 (17)  |
| 预熔氧化层对 AA-TIG 焊缝形貌的影响 .....                               | 樊 丁, 康再祥, 黄 勇, 等 (21)  |
| 温度对异金属焊接接头 CO <sub>2</sub> 腐蚀的影响 .....                    | 王 晶, 路民旭, 杨 萍, 等 (26)  |
| 不锈钢超高频直流脉冲 GTAW 焊缝成形行为 .....                              | 杨明轩, 齐铂金, 从保强, 等 (31)  |
| 随焊冲击碾压整形新方法及其承载接头拉伸与疲劳性能 .....                            | 王佳杰, 杨建国, 张敬强, 等 (35)  |
| Ni 元素对 Sn2.5Ag0.7Cu0.1RE/Cu 无铅微焊点界面 IMC 和力学性能的影响 .....    | 李臣阳, 张柯柯, 王要利, 等 (39)  |
| 高铬明弧堆焊合金的显微组织及耐磨性 .....                                   | 龚建勋, 肖逸锋 (43)          |
| 非晶钎料加铜层连接 Si <sub>3</sub> N <sub>4</sub> 陶瓷的高温强度 .....    | 邹家生, 曾 鹏, 许祥平 (47)     |
| 用复合中间层扩散连接钛铝基合金与镍基合金 .....                                | 李海新, 林铁松, 何 鹏, 等 (51)  |
| 平板式 SOFC 钎焊自适应密封热应力与变形分析 .....                            | 蒋文春, 张玉财, 关学伟 (55)     |
| 原位合成 TiC 和 M <sub>7</sub> C <sub>3</sub> 陶瓷硬质相的生长习性 ..... | 苏允海, 秦 昊, 吴德广, 等 (59)  |
| EO 反应器 20MnMoNb 特厚度管板拼焊残余应力与变形有限元模拟 .....                 | 王艳飞, 耿鲁阳, 巩建鸣, 等 (63)  |
| 热处理工艺对 CLAM 钢电子束焊缝显微组织与冲击韧性的影响 .....                      | 胡 杰, 姜志忠, 黄继华, 等 (67)  |
| 高 Ti, Nb 析出强化高强度钢接头强度及焊接热影响区软化行为分析 .....                  | 董现春, 张 楠, 陈延清, 等 (72)  |
| 多次焊补对高速列车铝合金焊接接头的影响 .....                                 | 于金朋, 张立民, 张卫华, 等 (77)  |
| 能量排布方式对双光束激光填丝焊温度场与应力场的影响 .....                           | 雷正龙, 张彦宾, 吕 涛, 等 (83)  |
| 软斩波功率控制 IGBT 四倍频 300 kHz/50 kW 焊接电源 .....                 | 沈锦飞, 赵 慧, 杨 磊 (89)     |
| Ti 元素对 Zn-22Al 钎料组织和性能的影响 .....                           | 杨金龙, 薛松柏, 姬 峰, 等 (93)  |
| A7N01 铝合金焊接接头的不均匀特性 .....                                 | 张 亮, 方洪渊, 王林森, 等 (97)  |
| 脉冲熔化极气体保护焊电源故障诊断设计 .....                                  | 李 芳, 华学明, 吴毅雄 (101)    |
| 焊条电弧焊焊补铸铁件焊区硬度控制 .....                                    | 徐锦锋, 任永明, 翟秋亚 (105)    |
| 长输管道全位置激光-电弧复合焊接技术 .....                                  | 曾惠林, 皮亚东, 王新升, 等 (110) |

## 第 12 期

|                                                          |                        |
|----------------------------------------------------------|------------------------|
| 钛合金 TIG 焊接头晶粒尺寸非线性梯度特征 .....                             | 张建勋, 董丽娜, 张林杰, 等 (1)   |
| 用非晶钎料加铜层连接 Si <sub>3</sub> N <sub>4</sub> 的界面结构与强度 ..... | 邹家生, 左淮文, 许祥平 (5)      |
| 双机器人协调焊接任务规划及仿真 .....                                    | 张 铁, 欧阳帆 (9)           |
| 超高频微区感应钎焊中加热温度的影响因素 .....                                | 苏宏华, 李奇林, 徐九华, 等 (13)  |
| 经济型铁素体不锈钢焊接接头组织与耐蚀性能 .....                               | 张 勇, 覃作祥, 许鸿吉, 等 (18)  |
| 微束等离子喷涂气体对 HA 涂层结晶度的影响 .....                             | 赵秋颖, 贺定勇, 刘 艳, 等 (23)  |
| 激光 + 双丝脉冲 MIG/MAG 复合焊系统及工艺开发 .....                       | 朱艳丽, 李 桓, 杨立军, 等 (28)  |
| TGO 界面特征对热障涂层残余应力的影响 .....                               | 韩志勇, 张 华, 王志平 (33)     |
| 新型铝合金薄板对接激光焊接头性能 .....                                   | 占小红, 陈 洁, 陶 汪, 等 (37)  |
| TiNi 形状记忆合金与不锈钢激光焊接头裂纹分析及防止措施 .....                      | 李洪梅, 孙大千, 董 鹏, 等 (41)  |
| 激光热丝焊焊缝熔合比和焊缝深度方向的微观成分均匀性 .....                          | 郑世卿, 温 鹏, 单际国 (45)     |
| 双相不锈钢瞬时液相连接接头的组织结构及等温凝固模拟 .....                          | 袁新建, 罗 军, 唐昆仑, 等 (49)  |
| 钛合金电子束深熔焊钉尖缺陷形成的影响因素 .....                               | 石铭霄, 张秉刚, 马纪龙, 等 (53)  |
| 微量 Ca 元素对 AgCuZn 钎料性能的影响 .....                           | 鲍 丽, 龙伟民, 张冠星, 等 (57)  |
| 不锈钢超声-脉冲 TIG 焊缝的组织与性能 .....                              | 张勤练, 林三宝, 范成磊, 等 (61)  |
| 复合加载下焊点寿命的数值模拟 .....                                     | 王 欢, 杨 平, 谢方伟, 等 (65)  |
| 高密度 LED 组装 Sn-3Ag-0.5Cu 焊点显微组织和力学性能的分析 .....             | 王欣欣, 刘建萍, 郭 福, 等 (69)  |
| 铝合金 A-TIG 焊电弧光谱分析 .....                                  | 严 铿, 杨 刚, 赵 勇, 等 (73)  |
| 一种冷丝填充速度的 GABP 优化算法 .....                                | 张鹏贤, 李 浩, 张 杰 (77)     |
| DP590 钢两道次焊接温度场数值模拟与试验验证 .....                           | 邢淑清, 郝 飞, 闫 波, 等 (81)  |
| 镁合金磁控 TIG 焊工艺参数的优化设计 .....                               | 苏允海, 蒋煊文, 吴德广, 等 (85)  |
| 304 不锈钢形变诱导马氏体相变的影响因素分析 .....                            | 杨建国, 陈双建, 黄 楠, 等 (89)  |
| 搅拌摩擦焊接头形成过程分析 .....                                      | 赵华夏, 董春林, 梁国红 (93)     |
| 热源形状参数对薄板焊接残余应力和变形的影响 .....                              | 王能庆, 董彦刚, 邓德安 (97)     |
| 激光冲击对 X70 管线钢焊缝盐雾腐蚀的影响 .....                             | 吴永忠, 孔德军, 龙 丹, 等 (101) |
| Ni-Cr-Co-W-Mo-Ta-B 合金钎料的特性 .....                         | 李 文, 金 涛 (106)         |
| 脉冲燃烧型立焊焊条 .....                                          | 吴永胜, 王建江, 辛文彤, 等 (109) |

# TRANSACTIONS OF THE CHINA WELDING INSTITUTION

Volume 33

2012

## CONTENTS

### Number 1

|                                                                                                                             |                                                      |
|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Design and implementation of a power control system for electron beam welder .....                                          | HE Shaojia, LI Jianling, MO Jinhai, et al ( 1)       |
| Effects of ultrasonic on properties of joints welded by friction stir welding process .....                                 | MA Huikun, HE Diqiu, LIU Jinshu ( 6)                 |
| Effects of welding materials on hot crack of spray formed 7475 Aluminum alloy in TIG welding joint .....                    | YAN Keng, YE Youli, WANG Xiling ( 9)                 |
| A analysis method of seam tracking accuracy based on wheeled robot .....                                                    | HONG Bo, ZHANG Qilin, LI Xiangwen, et al ( 13)       |
| Diffusion bonding of TiAl to Ni-based superalloy .....                                                                      | HE Peng, LI Haixin, LIN Tiesong, et al ( 17)         |
| Microstructure and properties of radial friction welded joint of 37CrMnMo steel pipe .....                                  | QIN Guoliang, ZHANG Chunbo, ZHOU Jun, et al ( 21)    |
| Welding currents filtering of compulsively short circuiting transfer in rotational arc MAG welding .....                    | GAO Yanfeng, XIAO Jianhua, ZHANG Hua ( 25)           |
| Laser-arc hybrid welding of T-type structure of titanium sheet .....                                                        | LI Chenbin, LIU Liming ( 29)                         |
| Control method for nugget size of resistance spot welding of three-layer steels with different thickness and strength ..... | SHEN Jie, LIN Haolet, ZHANG Yansong, et al ( 33)     |
| Influence of heat sink on welding residual deformation and optimization analysis of parameters of heat sink .....           | ZHAO Lihua, ZHANG Kailin ( 37)                       |
| Toughness of welding heat affected zone in high strength steel with low welding crack susceptibility .....                  | LAN Liangyun, QIU Chunlin, ZHAO Dewen, et al ( 41)   |
| Effect of boron on microstructure and properties of high-boron iron-based alloy by plasma transferred arc .....             | LIU Zhengjun, LI Lechen, SU Yunhai, et al ( 45)      |
| Prediction model of bead geometry shaped by rapid prototyping based on pulsed PAW .....                                     | XU Fujia, LÜ Yaohui, LIU Yuxin, et al ( 49)          |
| Design of lower stress and flexible CCGA solder joints and reliability expectancy .....                                     | ZHAO Zhili, SUN Fenglian, WANG Lifeng, et al ( 53)   |
| Analysis on properties of corrosion and hydrogen-permeation for weldment of SPV50Q steel .....                              | TANG Jianqun, GONG Jianming ( 57)                    |
| An image feature extraction method for a certain kind of narrowgap weld seam .....                                          | CHEN Haiyong, SUN Hexu, XU De ( 61)                  |
| Macro-micro robotic remote welding for pipeline repair in nuclear environment .....                                         | DU Aiguo, LI Haichao, CHEN Hongtang, et al ( 65)     |
| Microstructure and properties of SnAgCu-xPr solder .....                                                                    | GAO Lili, XUE Songbai, XU Hui ( 69)                  |
| Microstructure and mechanical properties of argon arc welding joints of Al-Cu-Li alloy containing Sc .....                  | LIU Chang, PAN Qinglin, LIANG Wenjie ( 73)           |
| Effects of Ni in deposited metal of T/P92 steel on microstructure and property .....                                        | DAI Qilei, MA Chengyong, PENG Yun, et al ( 77)       |
| Frictional wear of arc sprayed coatings containing iron-based amorphous phase .....                                         | ZHANG Guanzhen, HE Dingyong, ZHOU Zheng, et al ( 81) |
| Effects of addition of rare earth element Nd on properties of Sn-9Zn lead-free solder .....                                 | HU Yuhua, XUE Songbai, Liu Min, et al ( 85)          |
| Microstructure and wear resistance performance of Fe-C-Ti-Cr-B hardfacing alloy .....                                       | FENG Meng, WANG Zhihui, HE Dingyong, et al ( 89)     |
| Welding residual stress calculation of carbon steel and stainless steel joint .....                                         | ZHAO Dongsheng, LIU Yujun, SUN Minke, et al ( 93)    |
| Analysis on metal transfer of MAG welding with strip electrode .....                                                        | ZHENG Senmu, GAO Hongming, LIU Xin ( 96)             |
| Influence of joint geometric parameters on shape factor of under-matched butt joint with center crack .....                 | WANG Tao, YANG Jianguo, LIU Xuesong, et al ( 101)    |
| Preliminary about pool image character of welding defect based on vision sensing .....                                      | SHEN Yingji, WANG Kehong, PAN Mingcai, et al ( 105)  |
| Numerical simulation of PBGA lead-free solder joints with consideration of IMC layer under thermal cycling condition .....  | WEI Helin, WANG Kuisheng ( 109)                      |

### Number 2

|                                                                                                                 |                                                        |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Path planning of robot off-line programming for profiled bar cutting .....                                      | LI Haichao, GONG Shan, CUI Jingjiong, et al ( 1)       |
| Microstructure and mechanical properties of laser welded joints of CLAM steel used for fusion reactor .....     | JIANG Zhizhong, HUANG Jihua, HU Jie, et al ( 5)        |
| Effect of electric-field intensity on laser induced plasma triggering arc discharge in TIG arc .....            | LEI Zhenglong, CHEN Yanbin, LI Ying, et al ( 9)        |
| Analysis of nitrogen-alloying deposited material of 1Cr13NbTi stainless steel .....                             | YANG Ke, ZHANG Zhixi, HU Wangqin, et al ( 13)          |
| Diffusion bonding of TiAl and GH3536 superalloy with Cu and Cu-Ti as interlayers .....                          | ZHOU Yuan, XIONG Huaping, CHEN Bo, et al ( 17)         |
| Analysis of influence parameters on residual stress in glass-to-metal vacuum brazing flat joint .....           | TAN Mingming, LING Xiang ( 21)                         |
| Analog computation of solidification process when brazing pure Fe .....                                         | CHEN Jie, YU Zhishui, SU Yu, et al ( 25)               |
| Improvement electromigration resistance of Pb-free solder joints with element addition .....                    | WANG Jiabing, SUN Fenglian, LIU Yang ( 29)             |
| Algorithm of extracting feature lines in welding seam image based on improved least-square method .....         | QIN Tao, ZHANG Ke, DENG Jingyu, et al ( 33)            |
| Microstructure and properties of Fe-W composite coating by laser cladding .....                                 | WU Yang, YU Gang, HE Xiuli, et al ( 37)                |
| Numerical study on influence of axial pressure on inertia friction welding .....                                | WANG Feifan, LI Wenya, CHEN Liang, et al ( 41)         |
| Finite element modeling of residual stress in bonding interface of Ni-Cr/porcelain .....                        | ZHU Song, ZHOU Zhenping, QIU Xiaoming ( 45)            |
| Study on influence of CNT to nugget of aluminum alloy spot welding .....                                        | WANG Hao, LUO Zhen, ZHOU Linshu, et al ( 49)           |
| Microstructures and wear resistance of Ni-based PLA surfacing layer with introducing magnetic field .....       | LIU Zhengjun, LI Lecheng, ZONG Lin, et al ( 53)        |
| Effects on mechanical properties of high welding heat-input for EH36 shipbuilding steel joint .....             | WU Huibin, LIANG Guoli, TANG Di ( 57)                  |
| Effect of microstructure on wear resistance for multiple ceramic phases .....                                   | ZONG Lin, LIU Zhengjun, LI Lecheng ( 61)               |
| Development of 18Ni maraging steel for SMAW .....                                                               | XU Yusong, CAI Xiaotao, YUAN Zhengjiang, et al ( 65)   |
| Safety assessment for under-matched joints of 10CrNi3MoV steel with different values of weld toughness .....    | SUN Ji, GUI Chibin, CHEN Wenjun ( 69)                  |
| Simulation of tangential process of stress field after hard-face-welding during martensite transformation ..... | ZHOU Yefei, HAN Chao, LIU Ligang, et al ( 73)          |
| Coating formation of electro-thermal explosion spray in constrained capillary tube .....                        | ZHU Liang, ZHANG Youguo, BI Xuesong ( 77)              |
| Model to compensate for shunt of constant current control of robot spot welding .....                           | ZHANG Yong, WANG Shuaibing, XIE Hongxia, et al ( 81)   |
| Computational fluid dynamics simulation of splat formation process in plasma spraying .....                     | XIA Bizhu, CUI Changwen, LI Qiang ( 85)                |
| Mechanical properties of 7N01 aluminum friction stir welding joint .....                                        | MENG Lichun, KANG Xu, SUN Yanjun, et al ( 90)          |
| Characterization of submerged arc welding seam formation based on binocular stereo vision .....                 | ZHANG Pengxian, LU Zhongjian, CAO Chenghu, et al ( 93) |

|                                                                                                                                 |                                                   |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Three-points welding analysis for compressor upper flange with different structures .....                                       | XIA Weisheng, WANG Ke, ZENG Zhijian, et al ( 97)  |
| Analysis on microstructure and friction wear performance of chromium carbide/Ni <sub>3</sub> Al composite surfacing layer ..... | AN Tongbang, GONG Karin, LUO Heli, et al ( 101)   |
| Transient liquid phase diffusion bonding processing of Ni <sub>3</sub> Al single crystal superalloy .....                       | WU Song, HOU Jinbao, LANG Bo ( 105)               |
| Microstructural analysis of mild steel joint by flash butt welding with external magnetic field .....                           | CHEN Haidong, MA Tiejun, ZHANG Yong, et al ( 109) |

### Number 3

|                                                                                                                                                          |                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| Effect of hot extrusion deformation on microstructure and fracture morphology of AZ31B magnesium alloy TIG weld seam .....                               | LI Xiaoquan, CHU Yajie, YANG Zonghui, et al ( 1)           |
| Filling friction stir welding for repairing keyhole based on principle of solid state joining .....                                                      | HUANG Yongxian, HAN Bing, LÜ Shixiong, et al ( 5)          |
| A method for seam tracking based on swing type eddy current sensor .....                                                                                 | HONG Bo, XIONG Bingwei, LI Xiangwen, et al ( 9)            |
| Influence of wire materials and coating thickness on stress conditions in silicon substrate during copper thermosonic wire bonding .....                 | JIANG Wei, CHANG Baohua, DU Dong, et al ( 13)              |
| Control system for high-efficiency double-electrode MIG welding .....                                                                                    | SHI Yu, ZHU Ming, HUANG Jiankang, et al ( 17)              |
| Calibration of welding distortion measuring system based on stereo vision .....                                                                          | ZHANG Haipeng, HAN Duanfeng, MIAO Yugang, et al ( 21)      |
| Microstructure analysis of TLP bonded joint of GH99 alloy .....                                                                                          | LIN Tiesong, HE Peng, HAN Leng, et al ( 25)                |
| Deformation simulation and welding sequence optimization for multi-pass girth welding of bogie frame .....                                               | FU Libin, YANG Xinhua, REN Ruiming ( 29)                   |
| Influence of heat treatment on microstructure and mechanical properties of spray formed 7xxx series aluminum alloy TIG weld joint .....                  | YAN Keng, SHI Zhiqiang, WANG Xiling ( 33)                  |
| Characteristics of pool formation in backing weld for large and thick plates using double-sided double TIG arc welding .....                             | LIU Dianbao, ZHANG Guangjun, WU Lin ( 37)                  |
| Effects of aging treatment on reliability of SnZn soldered joints .....                                                                                  | HU Yuhua, XUE Songbai, Yang Jingqiu, et al ( 41)           |
| Welding deformation prediction and structure optimization of air conditioning compressor based on FEM .....                                              | LI Yongzhi, LU Hao, CHEN Junmei, et al ( 45)               |
| Analysis on WC-8Co electro-spark deposition coating with powder presetting method .....                                                                  | GAO Yuxin, ZHAO Cheng, YI Jian ( 49)                       |
| In-situ observation of residual liquid metal during laser welding of austenite stainless steels .....                                                    | WEN Peng, SHINOZAKI Kenji, YAMAMOTO Motomichi ( 53)        |
| FEM simulation of mechanical controlling parameters for type IV cracking on P91 steel weld .....                                                         | ZHANG Jianqiang, LUO Changhong, ZHANG Yinglin, et al ( 57) |
| Microstructure and wear resistance of ( Ti, Nb) C reinforced composite coating in-situ synthesized by argon arc cladding .....                           | WANG Yongdong, LI Bairu, WANG Shuhua, et al ( 61)          |
| Analysis on microstructure of in-situ synthesis TiC-M <sub>7</sub> C <sub>3</sub> ceramic hard phase .....                                               | LIU Zhengjun, LI Lecheng, ZONG Lin, et al ( 65)            |
| Effects of pulse frequency on TCGMAW droplet transfer modes .....                                                                                        | XIE Shengmian, WU Kaiyuan, WEN Yuanmei, et al ( 69)        |
| Microstructure transformation of coarse-grained region in heat-affected zone during welding of ultra-low carbon ultra-high strength pipeline steel ..... | LEI Xuanwei, WANG Honghong, YIN Yuqun, et al ( 73)         |
| Mathematical model and simulation for cutting of pipe tee with root face groove .....                                                                    | WANG Qihua, YIN Guofu, XU Lei, et al ( 77)                 |
| New half-bridge soft-switching CO <sub>2</sub> inverter welding machine .....                                                                            | SHE Zhiting, CAO Da, XIA Fuping, et al ( 81)               |
| Analysis of brazed joints between carbon fiber reinforced SiC composite and titanium alloy with TiC .....                                                | CUI Bing, HUANG Jihua, XIONG Jinhui, et al ( 85)           |
| Reactive contact brazing between aluminium alloy and copper by high frequency induction method .....                                                     | ZHANG Hongtao, LIU Duo, FENG Jicai, et al ( 89)            |
| Effect of sodium molybdate on corrosion behavior of 2024 and its weld joint by FSW .....                                                                 | SHEN Changbin, CHEN Ying, GE Jiping ( 93)                  |
| Fatigue life prediction of Sn3. 9Ag0. 6Cu-soldered joints in WLCSP device .....                                                                          | ZHANG Liang, HAN Jiguang, GUO Yonghuan, et al ( 97)        |
| Interface morphology and formation mechanism of dissimilar steel joint with transient liquid-phase bonding .....                                         | TANG Hengjuan, CHEN Sijie ( 101)                           |
| Analysis on fatigue property and fracture mechanism of TC4 titanium alloy joint during laser welding .....                                               | YANG Wulin, YANG Xiaohua, LI Xiaoyan, et al ( 105)         |
| Numerical simulation and experimental research of double vertical explosive welding and its safeguard .....                                              | SHI Changgen, WANG Yu, XU Hong ( 109)                      |

### Number 4

|                                                                                                                                                                          |                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Prediction algorithm of weld seam deviation based on RBF neural network .....                                                                                            | GAO Xiangdong, MO Ling, YOU Deyong, et al ( 1)       |
| Effect of magnetic-control arc sensor on weld width of submerged arc welding .....                                                                                       | HONG Bo, LI Lin, LI Xiangwen, et al ( 5)             |
| Application of control parameter in sinusoid modulation pulsed MIG welding of aluminum alloy .....                                                                       | WEI Zhonghua, LONG Peng, CHEN Xiaofeng, et al ( 9)   |
| Influence of powder-feeding mode on microstructure of WC reinforced composite coating .....                                                                              | SONG Zili, DU Xiaodong, LI Lianying, et al ( 13)     |
| Adaptive online detection on dynamic characteristics of arc welding power supply based on complicated dimensionality reduction of correlation and time consumption ..... | GAO Liwen, XUE Jiexiang, CHEN Hui, et al ( 17)       |
| Application of image morphology in detection of initial welding position .....                                                                                           | WANG Jian, WEI Shanchun, LIN Tao, et al ( 21)        |
| FEM of welding stress in AH36 steel plate with different welding parameters .....                                                                                        | WU Mingfang, LU Xuedong, CEN Yue, et al ( 25)        |
| Theoretical analysis for output characteristics of soft-switching arc welding inverter .....                                                                             | WANG Ruichao, XUE Jiexiang ( 29)                     |
| Comparison of microstructure and properties of deposited metal under DC longitudinal/transverse magnetic field .....                                                     | SU Yunhai, LI Lecheng, LIU Zhengjun ( 33)            |
| Study on sub-arc X-ray welding image defect segmentation algorithm and defect model .....                                                                                | GAO Weixin, HU Yuheng, MU Xiangyang, et al ( 37)     |
| Spontaneous growth of Sn whiskers on surface of Sn-Zn-Ca-Pr solders .....                                                                                                | YE Huan, XUE Songbai, XUE Peng, et al ( 42)          |
| Application of computes-aided ultrasonic phased array in inspection of weld in TKY tubular node .....                                                                    | LU Minghui, CHENG Jun, SHAO Hongliang, et al ( 45)   |
| Microstructure of TiAl joints brazed with TiNiB high-temperature filler metal .....                                                                                      | YANG Zhenwen, ZHANG Lixia, XUE Qing, et al ( 49)     |
| Investigation on wear resistance of Fe-based composite material containing titanium .....                                                                                | ZONG Lin, LIU Zhengjun, LI Lecheng ( 53)             |
| Modeling and simulation of pulsed welding inverter .....                                                                                                                 | DUAN Bin, ZHANG Chenghui, SUN Tongjing, et al ( 57)  |
| Welded joints fracture behavior of laser in-situ welding of high volume fraction SiCp/2024 Al MMC .....                                                                  | LI Liqun, ZUO Zhicheng, TAO Wang, et al ( 61)        |
| Microstructure and mechanical properties of friction stir welding joint of 7A05 aluminum alloy thick-sheet .....                                                         | DONG Jihong, TONG Jianhua, GUO Xiaojuan, et al ( 65) |
| Control algorithm of torch posture for plasma cutting of welding groove along multi-pipe intersecting edge .....                                                         | TIAN Guohua, OU Changjin, HUANG Dechao ( 69)         |
| Special tin whisker growth on surface of oxidized RE-phases .....                                                                                                        | TIAN Jun, LI Dongnan, LI Wei, et al ( 73)            |
| Fracture toughness of square drill pipe joint by narrow gap welding .....                                                                                                | MA Caixia, ZHANG Se, HUANG Xusheng, et al ( 77)      |
| Laser tailor welding of aluminum alloy sheet and cup axon formability of TWB .....                                                                                       | LI Yuntao, ZHANG Wenjun, YANG Lijun, et al ( 81)     |
| Establishment of cold cracking susceptibility criterion for X80 pipeline steel .....                                                                                     | LI Yajuan, JIA Peng, LI Wushen, et al ( 85)          |
| Study of microstructure and properties in weld metal of TP304 steel under three processes .....                                                                          | LI Haitao, YANG Wenjie, WANG Jun, et al ( 89)        |
| Numerical analysis on crack tip opening displacement of strength mismatched welded joint .....                                                                           | XIONG Linyu, ZHANG Yanhua ( 93)                      |



|                                                                                                                        |                                                           |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Investigation on microstructure and microhardness of linear friction welded joints of dissimilar titanium alloys ..... | ZHANG Chuanchen, HUANG Jihua, ZHANG Tiancang, et al ( 97) |
| Microstructure and properties of ESD coating on aluminum alloy .....                                                   | GUO Feng, SU Xunjia, LI Ping, et al ( 101)                |
| Investigation on Pop-in phenomenon and its causes in CTOD test for weld metal .....                                    | WU Shipin, WANG Dongpo, DENG Caiyan, et al ( 105)         |
| Research on welding robot trajectory and motion simulation based on virtual prototype technology .....                 | WANG Yu, WANG Qihua, ZHAO Jianguang, et al ( 109)         |

## Number 5

|                                                                                                                                                                |                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| Digital arc power supply for welding on aluminum-magnesium alloy and its expert database .....                                                                 | XUE Jiaxiang, WEI Zhonghua, LONG Peng, et al ( 1)       |
| Fatigue properties for FSW and MIG welded joints of thickness plate aluminum alloy .....                                                                       | YANG Xinqi, WU Tie, ZHANG Jialong, et al ( 5)           |
| Error analysis of seam tracking in master-slave robot remote welding based on ergonomics .....                                                                 | CHEN Hongtang, LI Haichao, GAO Hongming, et al ( 9)     |
| Bonding properties of plasma sprayed Cr <sub>3</sub> C <sub>2</sub> -NiCr and NiAl/Cr <sub>3</sub> C <sub>2</sub> -NiCr coatings on CuCrZr alloy surface ..... | CHEN Jian, LIU Xuepiao, LIANG Huan, et al ( 13)         |
| Efficient numerical simulation and experimental study on residual stress induced by GMAW with cable-type wire .....                                            | FANG Chenfu, WANG Haisong, LIU Chuan, et al ( 17)       |
| Effects of thermal aging on intermetallic compounds and properties of Cu/Al brazing joint .....                                                                | JI Feng, XUE Songbai, ZHANG Man, et al ( 21)            |
| Numerical simulation on dynamic performance of assistant gas during laser cutting process .....                                                                | TAN Xianghu, WANG Wei, SHAN Jiguo, et al ( 25)          |
| Quantitative evaluation on metal transfer process stability of arc welding based on autocorrelation analysis .....                                             | GAO Liwen, XUE Jiaxiang, CHEN Hui, et al ( 29)          |
| Microstructure and properties of Sn-Zn-Ga-xPr lead-free solder .....                                                                                           | LI Yang, XUE Songbai, YANG Jingqiu, et al ( 33)         |
| Double-side friction stir welding of wear resistant aluminum silicon copper alloy .....                                                                        | ZHANG Zhiyun, CHEN Maoai, WU Chuansong ( 37)            |
| Study on friction stir welding of 2A97 Al-Li alloy .....                                                                                                       | ZHANG Hua, KONG Deyue, CHEN Xuefeng, et al ( 41)        |
| Numerical simulation of welding residual deformation in welded joints of marine steel plate by FEM .....                                                       | LU Xuedong, WU Mingfang, CEN Yue, et al ( 45)           |
| Interfacial microstructure and properties of SnCuNi-xPr/Cu solder joint .....                                                                                  | LUO Jiadong, XUE Songbai, YANG Jingqiu, et al ( 49)     |
| Automatic corresponding criterion of bulk defects in I style weldments .....                                                                                   | SHI Duanhu, GANG Tie, YANG Feng ( 53)                   |
| Experimental on preparation of thick ceramic coating by laser multi-layer cladding .....                                                                       | WANG Dongsheng, TIAN Zongjun, WANG Jingwen, et al ( 57) |
| Test verifies and simulation on welding temperature field of steel plate for pressure vessel .....                                                             | CHI Luxin, MA Yonglin, XING Shuqing, et al ( 61)        |
| Correlation dimension analysis of current in GMAW welding .....                                                                                                | YAN Xiaocheng, LI Zhiyong, GUO Yong, et al ( 65)        |
| Welding residual stress under different vibration conditions .....                                                                                             | LU Qinghua, CHEN Ligong, NI Chunzhen, et al ( 69)       |
| Measurement and simulation of surface-temperature field of plate preheated by electron beam .....                                                              | YANG Zhongyu, QI Haibo, XU Hongbin ( 73)                |
| Influence rule of HAZ geometrical dimension to aluminum alloy joint' deformation and strength .....                                                            | ZHU Hao, CHEN Qiang, CHEN Jianhong ( 77)                |
| Correlation between multi-welding-pass welding parameters and welding deformation to GMAW of symmetric units of membrane water-wall .....                      | ZHANG Xian, YANG Wengang, ZHONG Jiang, et al ( 82)      |
| Numerical simulation on transverse magnetic field of magnetic control arc sensor for submerged arc welding by ANSYS .....                                      | HONG Bo, MA Jinhai, LI Xiangwen, et al ( 87)            |
| Fracture feature of spot welding joint under tensile-shear for AZ31B magnesium alloy .....                                                                     | CHEN Yiping, WEI Qiang, HU Dean, et al ( 91)            |
| Uniform large area beam spot design and experimental investigation in electron beam cladding process .....                                                     | HE Jun, ZHANG Binggang, ZHENG Kun, et al ( 95)          |
| Microstructure of stainless steel-carbon steel composite plates produced by explosive welding .....                                                            | LIAO Dongbo, ZHA Wusheng, LI Wei ( 99)                  |
| Varying focus current-extremum temperature of electron beam focus measurement .....                                                                            | CHEN Yunxia Chen, LI Guohua ( 103)                      |
| Progress in the stationary shoulder friction stir welding .....                                                                                                | LIU Huijie, LI Jinquan, DUAN Weijun ( 108)              |

## Number 6

|                                                                                                                                                   |                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Offshore pipeline laying welding robot based on network and field bus techniques .....                                                            | JIAO Xiangdong, LUO Yu, JI Wengang, et al ( 1)         |
| Analysis of composition and formation of AA-TiG pre-melting oxide layer .....                                                                     | FAN Ding, KANG Zaixiang, HUANG Yong, et al ( 5)        |
| Equivalent hot spot stress approach for multiaxial fatigue strength assessment of complex welded joints .....                                     | LIU Gang, HUANG Ruxu, HUANG Yi ( 10)                   |
| Numerical simulation on as-welded deflection of high speed rail floor based on thermo-mechanical coupling .....                                   | WANG Ping, FANG Hongyuan, HAN Decheng, et al ( 15)     |
| Influence of Zn addition on wettability of AgCu brazing alloy on TiC cermet .....                                                                 | LEI Min, ZHANG Lixia, LI Hongwei, et al ( 19)          |
| Interfacial characteristic and property of Ti/Al dissimilar alloys joint with arc welding-brazing .....                                           | LV Shixiong, JING Xiaojun, HUANG Yongxian, et al ( 23) |
| Research of microstructure and mechanical behavior of welded joint of AZ91 magnesium alloy .....                                                  | LIU Zhengjun, ZHAO Fudong, SU Yunhai, et al ( 27)      |
| Effect of heat input on the microstructure and properties of weld metal welding in a 800 MPa grade heavy steel plate with narrow gap groove ..... | WEI Jinshan, QI Yanchang, PENG Yun, et al ( 31)        |
| Loading pressure numerical analysis on radial friction lap welding joint of steel pipe .....                                                      | ZHANG Yan, QIN Guoliang, ZHANG Chunbo, et al ( 35)     |
| Microstructure and properties of titanium alloys welds using ultrasonic frequency pulse GTAW .....                                                | YANG Mingxuan, QI Bojin, CONG Baoqiang, et al ( 39)    |
| Effect of holding time on interface structure and bonding strength of diffusion bonding joint of TiAl and Ni-based alloy .....                    | LI Haixin, LIN Tiesong, HE Peng, et al ( 43)           |
| Relationship between metal transfer and arc shape in twin-wire indirect arc welding .....                                                         | CAO Meiqing, ZOU Zengda, QU Shiyao ( 47)               |
| Study on process and property of FSW of spray formed 7055 aluminum alloy .....                                                                    | YAN Keng, LIU Jun, SHI Chao ( 51)                      |
| Properties of Sn-Ag-Cu lead free solders with different silver content .....                                                                      | LIU Ping, GU Xiaolong, ZHAO Xinbing, et al ( 55)       |
| Numerical simulation and experiments test of residual stress of longitudinal weld of thick SA508-3 steel pipe for nuclear power .....             | CHI Luxin, MA Yonglin, XING Shuqing, et al ( 59)       |
| Modeling and simulation for DE-GMAW .....                                                                                                         | HUANG Jiankang, ZHU Ming, SHI Yu, et al ( 63)          |
| Analysis on low temperature toughness of self-shielded flux cored wire used for pipeline .....                                                    | SONG Shaopeng, LI Zhuoxin, LI Guodong, et al ( 68)     |
| Analysis of residual stress and hardness of T-joint on China low activation martensitic steel laser weld .....                                    | LEI Yucheng, LI Zhennan, ZHU Yanshan, et al ( 73)      |
| Small-sized TA2/0Cr18Ni9Ti rod weld test analysis by capacitor discharge welding .....                                                            | XU Feng, ZHAI Qiuya, CHEN Kai ( 77)                    |
| Ultra-narrow gap GMAW welding of DILLIMAX690E steel .....                                                                                         | ZHAO Xuan, WANG Yufei, ZHANG Fujun, et al ( 81)        |
| Pilot study of resistance spot welding technology for 400MPa ultrafine grained steel .....                                                        | DENG Lipeng, LIU Jinhe, KE Liming, et al ( 85)         |
| Relation between relative intensities of infrared radiation and welding parameter during CO <sub>2</sub> laser welding of TA15 .....              | GAO Daxin, DUAN Aiqin, MENG Liang, et al ( 89)         |
| Nonlinear multiple regression model of stainless steel tube magnetic control high-speed TIG welding .....                                         | LU Lin, CHANG Yunlong, LI Yingmin, et al ( 93)         |
| Cracking behavior and control of plasma clad high chromium iron based composite coating .....                                                     | LIU Junbo ( 97)                                        |

|                                                                                                             |                                                   |
|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Microstructure and properties of 35mm thickness aluminium alloy welded joint by friction stir welding ..... | LIU Jie, YANG Jinghong, WANG Yanjin, et al ( 101) |
| Microstructure and mechanical properties of 6061 Al joints brazed with a low-melting point filler .....     | DAI Wei, XUE Songbai, JIANG Shiqin, et al ( 105)  |
| Niobium alloy electron beam surface cladding silicide coating crack control .....                           | HE Jun, ZHANG Binggang, ZHENG Kun, et al ( 109)   |

## Number 7

|                                                                                                                           |                                                        |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Microstructure and stress-rupture property of TLP diffusion bonded DD3 single crystal superalloy joints .....             | LI Xiaohong, MAO Wei, ZHONG Qunpeng, et al ( 1)        |
| Finite element analysis of magnetic control arc welding seam tracking sensors .....                                       | HONG Bo, LI Lin, HONG Yuxiang, et al ( 5)              |
| Laser-tandem MIG hybrid welding for 6005A-T6 aluminum alloy profile of high-speed train .....                             | WANG Xuyou, LEI Zhen, ZHANG Jian, et al ( 9)           |
| Investigation on temperature field and interfacial microstructure of Ti/Al arc welding-brazing joint .....                | LÜ Shixiong, JING Xiaojun, HUANG Yongxian, et al ( 13) |
| Method of pulsed-MIG welding arc voltage control based on sub-spraying transfer .....                                     | LIN Fang, WEI Zhonghua, CHEN Xiaofeng, et al ( 17)     |
| Symmetrical transition waveform control process of double wire MIG welding .....                                          | YAO Ping, XUE Jiaxiang, Ma Qianjin, et al ( 21)        |
| Analysis of mechanism for TIG-MIG hybrid arc properties .....                                                             | YANG Tao, ZHANG Shenghu, GAO Hongming, et al ( 25)     |
| Research on ultrasonic metal welding power supply based on DSP .....                                                      | YANG Jingwei, CAO Biao, YIN Tianguang ( 29)            |
| Effect of Cu + B composite fillers proportion on Al <sub>2</sub> O <sub>3</sub> /TC4 alloy joint microstructure .....     | YANG Minxuan, LIN Tiesong, HAN Chun, et al ( 33)       |
| Welding process optimization and local compressive stress realization of francis runner .....                             | CHENG Guangfu, GUO Jie, JI Shude, et al ( 37)          |
| Influence of Zn content on wettability of TiC cermet by AgCuZn alloy .....                                                | LEI Min, ZHANG Lixia, LI Hongwei, et al ( 41)          |
| Auto-calibration method of vision system for mobile welding robot based on OpenCV .....                                   | DENG Yongjun, CHEN Huabin, LIN Tao, et al ( 45)        |
| Evaluation of weld-pass process on eliminating weld residual stress .....                                                 | ZHANG Yiliang, SHI Xian, ZHAO Jianping, et al ( 49)    |
| Optimum simulation and soldered joints reliability of WLCSP device .....                                                  | ZHANG Liang, HAN Jiguang, GUO Yonghuan, et al ( 53)    |
| Measurement of Q390 steel welding CCT curve .....                                                                         | ZHAO Yongtao, DONG Junhui, MA Yonglin, et al ( 57)     |
| An open architecture control system of special arc-welding robot for intersection welding seam .....                      | REN Fushen, CHEN Shujun, GAO sheng, et al ( 61)        |
| Interfacial structure and strength of Cu-based filler metal welding diamond .....                                         | GUAN Yancong, ZHENG Minli, YAO Deming ( 65)            |
| Effect of Pr on whisker growth of Sn-Zn-Ga lead-free solder .....                                                         | CHEN Cheng, XUE Songbai, YANG Jingqiu, et al ( 69)     |
| Simulation of bubble flow in molten pool of vacuum electron beam welding on AZ91D magnesium alloy .....                   | YE Hong, LUO Yi, YU Yaohua ( 73)                       |
| Microstructure and mechanical properties of 2219 aluminum alloy intersection weld by FSW and VPPA .....                   | ZHANG Hai, FENG Xiaosong, LIU Renpei ( 77)             |
| Approximate entropy analysis of CO <sub>2</sub> short circuit welding under waveform control .....                        | XU Wenhao, YANG Lijun, BI Chao, et al ( 81)            |
| Mechanical behaviors of PBGA lead-free solder joints under cooling process of reflow soldering .....                      | WEI Helin, WANG Kuisheng ( 85)                         |
| Microstructure evolution characterization of superplastic deformation of titanium alloy .....                             | CHENG Donghai, HUANG Jihua, CHEN Yiping, et al ( 89)   |
| Microstructure and properties of dissimilar materials Mg/Al lap joint by friction stir welding .....                      | CHEN Ying, FU Ningning, SHEN Chenbin, et al ( 93)      |
| Microstructure characteristics and properties of steel stud to aluminum alloy made by covering filler metal brazing ..... | GE Jiaqi, JIANG Yong, WANG Kehong ( 97)                |
| Research on laser spot weld-bonding process characteristics .....                                                         | WANG Mingmao, TAO Wang, MA Yinan, et al ( 101)         |
| Microstructure in linear friction welded dissimilar titanium alloy joint .....                                            | LANG Bo, ZHANG Tiancang, TAO Jun, et al ( 105)         |
| Weld defect segmentation and extraction of X-ray image based on B-spline curve .....                                      | LIANG Peng, WEI Yanhong, ZHAN Xiaohong ( 109)          |

## Number 8

|                                                                                                                                        |                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Characteristics of high-temperature erosion-resistance for laser cladding NiAl coating on high chromium cast steel .....               | HAN Bin, LI Meiyun, WANG Yong ( 1)                     |
| Comparison of thermal insulation capability between plasma-sprayed and laser-clad thermal barrier coatings .....                       | WANG Dongsheng, TIAN Zongjun, ZHANG Shaowu, et al ( 5) |
| Influence of Ni-foil interlayer on laser penetration welding of stainless steel to aluminium alloy .....                               | CHEN Shuhai, HUANG Jihua, YANG Dongdong, et al ( 9)    |
| Space magnetic field modeling of seam-tracking sensor based on alternative current field measurement .....                             | HONG Bo, TANG Diming, LI Xiangwen, et al ( 13)         |
| Stress analysis and structure optimization of IMC joints in 3D package .....                                                           | TIAN Yanhong, WANG Ning, YANG Dongsheng, et al ( 17)   |
| On-site turbine blade repairing robot with self-positioning function .....                                                             | MA Xiande, CHEN Qiang, SUN Zhenguo, et al ( 21)        |
| Laser cladding of in-situ TiB <sub>2</sub> -TiC particles reinforced Fe-based coatings .....                                           | WANG Xinhong, ZOU Zengda, QU Shiyao ( 25)              |
| Crack tendency and mechanical properties of ductile cast iron joint by fiber laser-MIG hybrid welding .....                            | ZHENG Shiqing, WEN Peng, SHAN Jiguo ( 29)              |
| Effect of thermal exposure on microhardness and element distribution in welding interface of Ti-24Al-15Nb-1.5Mo/TC11 dual alloys ..... | QIN Chun, YAO Zekun, ZHOU Wei, et al ( 33)             |
| Shape design of reinforcement for under-matched butt joints under three-point bending load in elastic stage .....                      | WANG Jiajie, DONG Zhibo, LIU Xuesong, et al ( 37)      |
| Dual-channel signal acquisition and characteristics analysis of arc sound in pipe MIG welding .....                                    | LIU Lijun, ZHOU Binta, DAI Hongbin, et al ( 41)        |
| Welding sequence optimization for high-speed rail floor based on FEM .....                                                             | WANG Ping, WANG Qiang, LIU Xuesong, et al ( 45)        |
| Weldability of Zr-Ti microalloyed high-strength high-toughness structural steels .....                                                 | LU Weiye, WU Kaiming, WANG Honghong, et al ( 49)       |
| Effect of processing parameters on microstructure and mechanical properties of Al <sub>2</sub> O <sub>3</sub> /TC4 alloy joints .....  | YANG Minxuan, LIN Tiesong, HAN Chun, et al ( 53)       |
| Microstructure analysis of hardfacing layer by electrode cored with high chromium casting iron .....                                   | XU Jinfeng, TANG Zhen, REN Yongming, et al ( 57)       |
| Weld hot crack analysis of 6005A aluminum alloy profile for high-speed train .....                                                     | ZHANG Jian, LEI Zhen, WANG Xuyou ( 60)                 |
| Effects of interpass temperature on crack propagation energy in deposited metal of 690 MPa grade HSLA steel .....                      | WANG Aihua, PENG Yun, XIAO Hongjun, et al ( 65)        |
| Microstructure and mechanical properties of YAG pulse laser butt joint of thin AZ61 magnesium alloy sheets .....                       | LI Zhijun, WANG Hongying ( 69)                         |
| Welding parameters and mechanical properties of electron beam welding of 7A52 aluminum alloy .....                                     | ZHAI Xiwei, CHEN Furong, BI Liangyan, et al ( 73)      |
| Performance of dissimilar metal weld between SA335P91 and 12Cr1MoV steels in ultra ( ultra ) supercritical thermal power units .....   | ZHENG Kai, ZHAO Dajun, ZHANG Xuelian ( 77)             |
| Microstructure and mechanical properties of thick titanium alloy joint in narrow-gap TIG welding .....                                 | LÜ Shixiong, CUI Qinglong, HUANG Yongxian, et al ( 81) |
| Effects of surface absorption of Ge on Sn <sub>2</sub> -5Ag-0.7Cu/Cu interfacial reaction and wettability .....                        | YANG Tuoyu, MENG Gongge, CHEN Feng, et al ( 85)        |
| Influence factors of dynamic recrystallization of 7050 aluminium alloy friction stir weld .....                                        | ZHANG Chengcong, CHANG Baohua, TAO Jun, et al ( 89)    |
| Analysis on mechanism of removing oxide film on stainless steel by heating in low vacuum .....                                         | HE Peng, ZHENG Yansong, LI Jun, et al ( 93)            |
| Optimizing of compressive stress region by local treatment technologies on Francis runner .....                                        | CHENG Guangfu, WANG Huiting, JI Shude, et al ( 97)     |
| Analysis on cooling flow field of electrode in plasma arc cutting torch .....                                                          | CHEN Lihua, WEI Jingyu ( 101)                          |
| Design and realization of fully digital intelligent pulse arc welding power source .....                                               | DUAN Bin, ZHANG Chenghui, SUN Tongjing, et al ( 105)   |
| Microstructure and mechanical properties of IC10 single crystal superalloy transient liquid phase diffusion bonding joint .....        | LANG Bo, HOU Jinbao, WU Song ( 109)                    |

## Number 9

|                                                                                                                                                                 |                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| Visualized diagnosis for metallic parts deposition shaping quality .....                                                                                        | ZHANG Haiou, QIU Lipeng, RUI Daoman, et al ( 1)       |
| Experimental study on fracture toughness of butt weld of Q460C high-strength structural steel .....                                                             | WANG Yuanqing, LIN Yun, ZHANG Yannian, et al ( 5)     |
| Interfacial microstructure and bonding strength of diffusion bonded TiAl/Ti/Nb/GH99 alloy joint .....                                                           | LI Haixin, WEI Hongmei, HE Peng, et al ( 9)           |
| Gas pool coupled activating TIG welding method .....                                                                                                            | HUANG Yong, LIU ruilin, FAN Ding, et al ( 13)         |
| Numerical analysis of TIG welding pool at step parameter .....                                                                                                  | HUANG Jiankang, GUO Chaobo, SHI Yu, et al ( 17)       |
| Ultrasonic friction stir welding of LF21 aluminum alloy .....                                                                                                   | MA Huikun, HE Diqui, LIU Jinshu ( 21)                 |
| Determination of material parameters for welding process simulation .....                                                                                       | YAN Dejun, LIU Xuesong, YANG Jianguo, et al ( 24)     |
| Ultrasonic SH guided waves imaging and test on complicated TLB welded structure .....                                                                           | ZHU Xinjie, HAN Zandong, DU Dong, et al ( 29)         |
| Research on interfacial fracture behavior of TBCs/Q345 based on local approach .....                                                                            | YANG Zhen, JING Hongyang, XU Lianying ( 33)           |
| Welding residual stress in T-joint after TIG dressing and its relief .....                                                                                      | LÜ Yishi, JING Hongyang, XU Lianying, et al ( 37)     |
| Analysis on microstructure of particles reinforced Fe-based layers by plasma spray welding .....                                                                | LI Lianying, DU Xiaodong, SONG Zili, et al ( 41)      |
| Influences of Nd: YAG laser + CMT arc hybrid horizontal welding parameters on weld shape .....                                                                  | LIU Xiyang, WANG Xuyou, YUE Yanxing, et al ( 45)      |
| Mechanism of enhancing effect of electric field on penetration depth of laser-TIG hybrid welding .....                                                          | LI Xueyuan, CHEN Minghua, ZHU Meili, et al ( 49)      |
| Low power laser-TIG arc hybrid welding of thin magnesium alloy plate .....                                                                                      | YUAN Shengtao, LI Chenbin, LIU Liming ( 53)           |
| Analysis on weld joint performance for matching flux for X100 pipeline steel .....                                                                              | ZHANG Min, ZHANG Xibing, CHEN Feichou, et al ( 57)    |
| Effect of magnetic field parameters on properties of magnesium alloy welded joint .....                                                                         | ZONG Lin, SU Yunhai, LIU Zhengjun ( 61)               |
| Nucleation and growth of Cr <sub>7</sub> C <sub>3</sub> at interface of brazed diamond with Ni-Cr alloy under protective atmosphere .....                       | LU Jinbin, MENG Pu, FAN Ping, et al ( 65)             |
| Cyclical behavior of lead-free BGA soldered joints based on nano-indentation method .....                                                                       | LIU Meina, WANG Lifeng, LÜ Ye, et al ( 69)            |
| Development of slag-free self-shielded flux cored wire with niobium addition for hardfacing .....                                                               | LIU Dashuang, LIU Renpei, QIU Yue, et al ( 73)        |
| First-principles investigation on structure and properties of Cu <sub>6</sub> Sn <sub>5</sub> and Ni <sub>3</sub> Sn <sub>4</sub> intermetallic compounds ..... | WANG Hongwei, SUN Shichun, XU Zhenqin, et al ( 77)    |
| FSW joint residual stress of aluminum alloy LY12 .....                                                                                                          | WANG Xijing, Li Na, ZHANG Zhongke, et al ( 81)        |
| Influence of joint geometric parameters on shape factor of mode I edge-cracked under-matched butt joint with flat reinforcement .....                           | YANG Jianguo, WANG Tao, FANG Hongyuan, et al ( 85)    |
| Calculation of impacting rotation compression stress during TC4 welding process .....                                                                           | ZHANG Yong, YANG Jianguo, FANG Hongyuan ( 89)         |
| Microstructure and properties of coarse grain region for high-strain pipeline X80 steel .....                                                                   | HU Meijuan, WANG Peng, HAN Xinli, et al ( 93)         |
| Plasma arc welding of copper-steel dissimilar metals .....                                                                                                      | CHENG Donghai, SHAO Jinghui, CHEN Yiping, et al ( 97) |
| Effect of amplitude on microstructures and representative element distribution in linear friction welded joint .....                                            | JI Yajuan, LIU Yanbing, ZHANG Tiancang, et al ( 101)  |
| Quantitative analysis on interaction between corrosion and wear of NiCrBSiMo laser clad coatings .....                                                          | SUN Lei, YUAN Jinping, ZHAO Junjun, et al ( 105)      |
| Microstructure and fatigue crack growth behavior of electron beam welded joints for TC4-DT titanium alloy .....                                                 | TANG Zhenyun, MA Yingjie, MAO Zhiyong, et al ( 109)   |

## Number 10

|                                                                                                                                                             |                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Improving fatigue properties with thermo plastic extrusion and micro-mechanism for fusion welded joint of magnesium alloy .....                             | LI Xiaquan, CHU Yajie, YANG Zonghui, et al ( 1)      |
| Microstructures and electrochemical performance of 6082-T6 aluminum alloy welds prepared by bobbin friction stir welding .....                              | DONG Chunlin, DONG Jihong, ZHAO Huaxia, et al ( 5)   |
| Design of oxygen nozzle for oxy-propane gas cutting .....                                                                                                   | HAN Yongkui, YU Haonan, WANG Zhixin, et al ( 10)     |
| Numerical analysis to study effect of turn number on residual stress and deformation of butt welded 20MnMoNb super-thick tube-sheet .....                   | WANG Yanfei, GENG Luyang, GONG Jianming, et al ( 13) |
| Analysis for dynamic characteristics of soft-switch arc welding inverter .....                                                                              | WANG Ruichao, XUE Jiaxiang ( 17)                     |
| Investigation in resonance frequency of keyhole plasma ultrasound-arc welding based on FEM simulation .....                                                 | XIE Weifeng, LEI Yucheng, ZHU Qiang, et al ( 21)     |
| Metal droplet transfer and welding processing characteristics of double-wire pulse MAG welding .....                                                        | YU Lu, LI Huan, YANG Lijun, et al ( 25)              |
| MAG welding pool image of regional definitions and approximate entropy analysis .....                                                                       | GAO Fei, WANG Kehong, LIANG Yongshun, et al ( 29)    |
| Experimental analysis on cold-welding surface residual stress of HT250 .....                                                                                | XU Qingzhong, LI Fangyi, DING Tao, et al ( 33)       |
| Pitting corrosion resistance of PH stainless steel of FV520B and its welding joint .....                                                                    | ZHANG Min, ZHANG Enhua, ZHI Jinhua, et al ( 37)      |
| Interfacial microstructure and properties of Si <sub>3</sub> N <sub>4</sub> joints brazed using TiNi-V eutectic brazing alloy .....                         | WANG Guoxing, SONG Xiaoguo, CHEN Haiyan, et al ( 41) |
| Fatigue fracture behavior of laser-MIG hybrid welded 7075-T6 aluminium alloys .....                                                                         | WU Shengchuan, XU Xiaobo, ZHANG Weihua, et al ( 45)  |
| Arc stability of underwater wet flux-cored arc welding .....                                                                                                | SHI Yonghua, ZHENG Zepei, HUANG Jin ( 49)            |
| Open circuit critical frequency analysis of rotation arc welding under high-pressure water environment .....                                                | LI Zhigang, ZHANG Hua ( 54)                          |
| Weld formation characteristics in hybrid pulse variable polarity GTAW of 2A14-T6 aluminum alloy .....                                                       | LI Wei, CONG Baoqiang, QI Bojin, et al ( 59)         |
| Underwater explosive welding of NiTi alloy/copper foil .....                                                                                                | SUN Wei, LI Xiaojie, YAN Honghao, et al ( 63)        |
| Influence of pulse current parameters on arc behavior by austenite stainless steel .....                                                                    | YANG Mingxuan, CONG Baoqiang, QI Bojin, et al ( 67)  |
| Effect of Zr-Ti combined deoxidation on microstructure and toughness in coarse-grained region of heat-affected zone of high strength low alloy steels ..... | WEI Ran, WU Kaiming, WANG Honghong, et al ( 71)      |
| Effect of doped CeO <sub>2</sub> on properties of nano-ZrO <sub>2</sub> -Y <sub>2</sub> O <sub>3</sub> coatings .....                                       | YAN Jianhui, MA Sujuan, LIU Longfei, et al ( 75)     |
| Effect of brazing temperature and holding time on microstructure and strength of brazed joints between dissimilar materials Mg/Al .....                     | WANG Zhi, LIU Fei, LIU Liming ( 79)                  |
| Observation and analysis of droplet transfer and spatter of metal powder type of flux-cored wire welding .....                                              | WANG Huang, LIU Haiyun, WANG Bao, et al ( 83)        |
| Variable polarity plasma arc welding heat source model for an aluminum alloy .....                                                                          | LU Zhenyang, WANG Long, CHEN Shujun, et al ( 87)     |
| Phenomena of wire melting and bead formation in AC pulse MIG welding of aluminum alloy .....                                                                | YUAN Lei, HUA Xueming, ZHANG Wang, et al ( 92)       |
| Analytical model of wire temperature distribution during hot-wire TIG welding process .....                                                                 | ZHAO Fuhai, HUA Xueming, YE Xin, et al ( 97)         |
| Development of flux for Sn-Zn lead-free solder .....                                                                                                        | HAN Ruonan, XUE Songbai, HU Yuhua, et al ( 101)      |
| Effect of aging temperature on microstructure and properties of deposited metal for type 15-5PH precipitation hardened stainless steel .....                | QI Yanchang, ZHANG Xiaomu, PENG Yun, et al ( 105)    |
| Structure and mechanical properties of TC4/TC17 linear friction welding joint .....                                                                         | JI Yajuan, LIU Yanbing, ZHANG Tiancang, et al ( 109) |

## Number 11

|                                                                                                                                                   |                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Simulation of plasma deposition manufacturing process for functionally graded material using level-set approach .....                             | WANG Guilan, WANG Qing, WANG Xiangping, et al (1)      |
| Modeling and simulation of PID control system of titanium alloy electron beam welding .....                                                       | SHI Mingxiao, ZHANG Binggang, CHEN Guoqing, et al (5)  |
| Effect of joint clearances on microstructure and property of brazed SiC ceramics .....                                                            | LI Zhuoran, XU Xiaolong, LIU Wenbo, et al (9)          |
| High temperature wear behavior of WC particles reinforced Ni-based plasma-sprayed coating by laser remelting .....                                | WANG Dongsheng, TIAN Zongjun, WANG Songlin, et al (13) |
| Parametric modeling and vector graphics plotting for welding joint groove .....                                                                   | SHEN Chunlong, YU Jingbao, PENG Yong, et al (17)       |
| Effect of premelting oxide layer on AA-TIG weld shape .....                                                                                       | FAN Ding, KANG Zaixiang, HUANG Yong, et al (21)        |
| Effect of temperature on CO <sub>2</sub> corrosion of dissimilar weld joint .....                                                                 | WANG Jing, LU Minxu, YANG Ping, et al (26)             |
| Weld appearance behavior in welding pool of stainless steel by ultrahigh frequency pulse GTAW process .....                                       | YANG Mingxuan, QI Bojin, CONG Baoqiang, et al (31)     |
| A new weld shaping method with trailing impact rolling and tensile and fatigue properties for equal load-carrying capacity joints .....           | WANG Jiajie, YANG Jianguo, ZHANG Jingqiang, et al (35) |
| Effect of Ni on interfacial IMC and mechanical properties of Sn <sub>2</sub> -5Ag0.7Cu0.1RE/Cu solder joints .....                                | LI Chenyang, ZHANG Keke, WANG Yaoli, et al (39)        |
| Microstructure and abrasion resistance of high-chromium open arc hardfacing alloys .....                                                          | GONG Jianxun, XIAO Yifeng (43)                         |
| Interfacial structure and strength of Si <sub>3</sub> N <sub>4</sub> ceramics joint brazed with amorphous filler metal and Cu layer .....         | ZOU Jiasheng, ZENG Peng, XU Xiangping (47)             |
| Diffusion bonding joint of TiAl-based alloy and Ni-based alloy by using composite interlayer .....                                                | LI Haixin, LIN Tiesong, HE Peng, et al (51)            |
| Thermal stress and deformation in bonded compliant seal design for planar SOFC .....                                                              | JIANG Wenchun, ZHANG Yucai, GUAN Xuewei (55)           |
| Growth habit of TiC and M <sub>7</sub> C <sub>3</sub> ceramic hard phase in situ synthesized .....                                                | SU Yunhai, QIN Hao, WU Deguang, et al (59)             |
| Finite element simulation on residual stress and deformation for welding joint of 20MnMoNb-super-thick tube sheet of ethylene oxide reactor ..... | WANG Yanfei, GENG Luyang, GONG Jianming, et al (63)    |
| Effects of heat treatment processes on microstructure and impact toughness of weld metal of vacuum electron beam welding on CLAM steel .....      | HU Jie, JIANG Zhizhong, HUANG Jihua, et al (67)        |
| Welded joint strength and analysis for HAZ softening behavior of high Ti and Nb precipitation strengthened high strength steel .....              | DONG Xianchun, ZHANG Nan, CHEN Yanqing, et al (72)     |
| Influence of several times welding reworking on aluminum alloy welding joints for high speed train .....                                          | YU Jinpeng, ZHANG Limin, ZHANG Weihua, et al (77)      |
| Effect of energy arrangement on temperature field and stress field in dual-beam laser welding process with filler wire .....                      | LEI Zhenglong, CHEN Yanbin, LV Tao, et al (83)         |
| Soft-switch DC chopper four fold-frequency power control 300 KHz/50 kW induction welding power .....                                              | SHEN Jinfei, ZHAO Hui, YANG Lei (89)                   |
| Effect of titanium on microstructure and properties of Zn-22Al filler metals .....                                                                | YANG Jinlong, XUE Songbai, JI Feng, et al (93)         |
| Inhomogeneity for A7N01 aluminum alloy welded joint .....                                                                                         | ZHANG Liang, FANG Hongyuan, WANG Linsen, et al (97)    |
| Design of failures monitoring system in pulsed gas melted arc welding power source .....                                                          | LI Fang, HUA Xueming, WU Yixiong (101)                 |
| Controlling of hardness of cast iron joint by manual arc welding .....                                                                            | XU Jinpeng, REN Yongming, ZHAI Qiuya (105)             |
| Research on all-position laser-arc hybrid welding for long-distance transportation pipeline .....                                                 | ZENG Huilin, PI Yadong, WANG Xinsheng, et al (110)     |

## Number 12

|                                                                                                                                           |                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Nonlinear gradient features of grain size in TIG welded joint for titanium alloy .....                                                    | ZHANG Jianxun, DONG Lina, ZHANG Linjie, et al (1)      |
| Interfacial structure and strength of Si <sub>3</sub> N <sub>4</sub> ceramics joint brazed with amorphous filler metal and Cu layer ..... | ZOU Jiasheng, ZUO Huaiwen, XU Xiangping (5)            |
| Task planning and simulation of two-robot welding coordination .....                                                                      | ZHANG Tie, OUYANG Fan (9)                              |
| Study on influence factors of temperature in localized ultra-high frequency induction brazing .....                                       | SU Honghua, LI Qilin, XU Jiahua, et al (13)            |
| Microstructure and corrosion resistance of welding joints of economic ferritic stainless steel .....                                      | ZHANG Yong, QIN Zuoxiang, XU Hongji, et al (18)        |
| Effect of microplasma spraying working gas on crystallinity of HA coatings .....                                                          | ZHAO Qiuqing, HE Dingyong, LIU Yan, et al (23)         |
| Development of hybrid laser + double wire MIG/MAG welding system and process .....                                                        | ZHU Yanli, LI Huan, YANG Lijun, et al (28)             |
| Effect of TGO topography on TBCs residual stresses .....                                                                                  | HAN Zhiyong, ZHANG Hua, WANG Zhiping (33)              |
| Study on performance of 6156 skin butt joint with laser beam welding .....                                                                | ZHAN Xiaohong, CHEN Jie, TAO Wang, et al (37)          |
| Analysis and prevention of cracks in laser-welded joint of TiNi shape memory alloy and stainless steel .....                              | LI Hongmei, SUN Daqian, DONG Peng, et al (41)          |
| Experimental analysis on fusion ratio and composition uniformity of laser hot wire welds .....                                            | ZHENG Shiqing, WEN Peng, SHAN Jiguo (45)               |
| Joint microstructure and isothermal solidification modeling during transient liquid-phase bonding of a duplex stainless steel .....       | YUAN Xinjian, LUO Jun, TANG Kunlun, et al (49)         |
| Affecting factors of forming spiking of titanium alloy electron beam deep penetration welding .....                                       | SHI Mingxiao, ZHANG Binggang, MA Jilong, et al (53)    |
| Effect of trace calcium on performance of AgCuZn alloy .....                                                                              | BAO Li, LONG Weimin, ZHANG Guanxing, et al (57)        |
| Microstructure and mechanical behaviors of stainless steel weld metal by ultrasonic assisted pulse TIG welding technology .....           | ZHANG Qinlian, LIN Sanbao, FAN Chenglei, et al (61)    |
| Study on life-prediction of solder joint under combined loading .....                                                                     | WANG Huan, YANG Ping, XIE Fangwei, et al (65)          |
| Analysis for microstructure and mechanical property of Sn-3Ag-0.5Cu solder joints in high density LED packages .....                      | WANG Xinxin, LIU Jianping, GUO Fu, et al (69)          |
| Spectrum analysis of A-TIG welding for aluminum alloy .....                                                                               | YAN Keng, YANG Gang, ZHAO Yong, et al (73)             |
| A GABP optimized algorithm for filler rate of non-heated wire .....                                                                       | ZHANG Pengxian, LI Hao, ZHANG Jie (77)                 |
| Simulation and experimental verification of double-pass welding temperature field for DP590 steel .....                                   | XING Shuqing, HAO Fei, YAN Bo, et al (81)              |
| Optimum design of magnesium alloy welding parameters with GTAW under magnetic field .....                                                 | SU Yunhai, JIANG Huanwen, WU Deguang, et al (85)       |
| Factors affecting deformation induced martensitic transformation of SUS304 stainless steel .....                                          | YANG Jianguo, CHEN Shuangjian, HUANG Nan, et al (89)   |
| Forming process study of friction stir welding joint .....                                                                                | ZHAO Huaxia, DONG Chunlin, LUAN Guohong (93)           |
| Effects of welding heat source parameters on residual stress and distortion in thin plate joint .....                                     | WANG Nengqing, TONG Yangang, DENG Dean (97)            |
| Effects of laser shock wave on salt spray corrosion of X70 pipeline steel welded lines .....                                              | WU Yongzhong, KONG Dejun, LONG Dan, et al (101)        |
| Characteristics of Ni-Cr-Co-W-Mo-Ta-B brazing filler .....                                                                                | LI Wen, JIN Tao (106)                                  |
| Study of pulse combustion welding rod for vertical weld .....                                                                             | WU Yongsheng, WANG Jianjiang, XIN Wentong, et al (109) |